

2017-18
polymaster.com.au

Polymaster

FARMER'S

HANDBOOK



**DOUBLE STRENGTH
UV+ RESIN** Polymaster's
range is built to last in
Australia's harsh climate

Innovative products
designed for life

Largest Range of
TOUGH
Poly Tanks &
Troughs



**NEW
450L SWEEP TROUGH**
Pg.27



New Bloo
Septic Tank Pg.18

**50,000L
MEGA TANK**
Pg.4-7



ONE OF THE
**LARGEST
POLY TANKS
IN AUSTRALIA**

HELLO

GET READY TO BROWSE THE TOUGHEST PRODUCTS IN AGRICULTURE!

OUR COMMITMENT

Our focus is to provide the ultimate in service and quality to ensure your experience with Polymaster is a most rewarding one. With an ever increasing focus on environmentally friendly products, Polymaster is continually striving to minimize the impact on Australia's environment, whilst maintaining ultimate quality.



WATCH OUR STORY
polymaster.com.au

COMPANY MISSION

The leading manufacturer of innovative, quality fluid storage solutions.

COMPANY VALUES

The values we measure by are: Integrity, loyalty, respect, innovation, endurance, efficiency, hard work and intelligence.

COMPANY VISION

To be a trusted business partner delivering innovative solutions throughout Australasia. We do this by maintaining a culture of continuous improvement and empowering team members to exceed client expectations.



Our premium round tanks are of guaranteed quality backed by our 20 year warranty!



We only produce quality products and service, certifying us for the International Standard for Quality Management.



Our exclusive UV+ double strength resin gives you the best protection against Australia's harsh sun.



After 2 decades in the business, our extensive distribution network is one of our most cherished assets.

Find a Polymaster distributor near you:

CALL 1800 062 064

EMAIL sales@polymaster.com.au

Check out our full range of products online:

Polymaster.com.au



CONTENTS

EXPLORE OUR PRODUCT RANGE



Round Rainwater Tanks
Pg 5-9



Slimline Rainwater Household
Tanks Pg 10-13



Septic Tanks
Pg 18



Underground & Retention/
Detention Tanks Pg 19



Fertiliser Tanks
Pg 20-21



Pipeline Tanks
Pg 22-23



Stock Troughs
Pg 24-30



Aquaculture Tanks
Pg 31



Feeders & Drinkers
Pg 32-33



Calf Feeding
Pg 34-38



Fire-Fighting & Water Cartage
Pg 39-41



Storage & Farm Equipment
Pg 42-48



Diesel & AdBlue® Storage
Pg 49-55



Spill Containment & Safety
Pg 56-57



Delivery & Installation
Pg 59

FEATURED PRODUCTS

WHAT'S NEW AT POLYMASTER?



Visit
polymaster.com.au
to view our current
PolyPromo specials!



50,000L
MEGA
TANK

RWT50KL

SUITABLE FOR

- PIPELINE TANKS
- LARGE RAINWATER STORAGE
- CROP SPRAYING WATER
- FARM SHED STORAGE

CERTIFIED
to 1.5 SG

FEATURES

- Fully customisable overflows and outlets
- Proven certified design
- One piece construction - Self Supporting roof, and walls moulded as one with no joins, seams or partlines
- Certified to Aust. Standards AS/NZS 4766

- See detail Pg.8-9

50,000L
MEGA TANK

VS

2x
22500L TANKS

Ask Us! What's advantages of the 50,000L Mega Tank compared to 2 x 22500L tanks

New

LARGE STOCK WATERING TANK & TROUGH COMBO - 22,500L & 27,000L



NEW SWEEP DESIGN

- See details Pg.26

New

450L SWEEP TROUGH



LARGE CAPACITY

- See details Pg.27

THINK TOUGHEST

THINK POLYMASTER

WHY BUY A TANK?

1

Reduce your water bill by catching rainwater in a Polymaster tank & using it for many applications



CHOOSE YOUR TANK

2

Visit water.polymaster.com.au to follow our easy steps to find the right tank for you

WHERE TO BUY?

3

These tanks are available at leading hardware and plumbing stores, or: Visit water.polymaster.com.au to find out your nearest Polymaster distributors

WHY CHOOSE POLYMASTER?

PRODUCT CERTIFICATION

to the Rainwater tank
Standard AS/NZS 4766:2006
for peace of mind
Licence no. BMP657671 & BMP650824



UV + DOUBLE STRENGTH

Our exclusive UV+ double strength resin gives the best protection against Australia's harsh sun



QUALITY ASSURANCE

Polymaster only produces quality products and service, certifying us for the international standard for quality management



EXTRA THICK WALLS

Each Polymaster tank undertakes ultrasonic thickness testing and impact testing to ensure material is correct thickness ...and we have high standards!



ONE PIECE TANK CONSTRUCTION

with no joins, seams or part-lines, and our new generation roof design eliminates the need of an internal support pole



FITTINGS STANDARD

Rainwater Tanks come standard with fittings. Ask us what fittings come with the tank model you are interested in



BPA FREE

Our tanks are made from food-grade polyethylene and certified to AS/NZS4020, the Australian Standard for drinking water



MADE IN AUSTRALIA

Family-owned and operated here in Australia since 1994



CERTIFIED Premium Corrugated Tanks

WARRANTY
20 YEARS
WARRANTY



* 13,600 - 50,000L Tanks. See back cover for eligibility.

ROUND TANK STANDARD FITTINGS



1 Mosquito proof leaf screen & 90 mm Overflow fitting



2 Moulded lugs for easy lifting and tie-down points



3 Solid brass threaded Outlet and Ball Valve


ROUND TANK BENEFITS

Polymaster's certified range of round rainwater tanks are manufactured with strength in mind. Here's what makes them so tough:

- Self-supporting roof design means no support poles are necessary
- Extra thick walls for maximum strength
- One-piece construction means there are no joins, seams or part-lines
- Specially formulated double strength UV+ resin on the complete colour range ensures ultimate protection against Australia's harsh sun
- Certification to AS/NZS4766 tank standard
- 22 Colorbond™ colours available! Pg.15
- 20 Year Warranty for peace of mind

TANK ROOF DIAGRAM FOR FITTING POSITIONS

Please see table and roof diagram to choose your preferred overflow and outlet positions. Brass outlets can be placed anywhere on flat skirt of tank



All tanks are certified to the **RAINWATER
TANK STANDARD AS/NZS4766:2006**



**Slimline Range
Pg. 10-13**

**Colour Range
Pg. 14-15**

**Delivery &
Installation Pg.59**



**WATER
CALCULATOR
ONLINE**
calculator.
polymaster.com.au



ROUND RAINWATER TANK SPECIFICATIONS

CODE	LITRES/GALLONS	DIAMETER	OVERALL HEIGHT	INLET HEIGHT	STRAINER	OVERFLOW	OUTLET
RWT200	200 (45 gal)	.60m (1'11")	.90m (2'11")	.90m (2'11")	centre	12.00	6.00
RWT600	600 (132 gal)	1.00m (3'3")	.95m (3'1")	.95m (3'1")	centre	12.00	6.00
RWT1000	1,000 (220 gal)	1.00m (3'3")	1.50m (4'11")	1.50m (4'11")	centre	12.00	6.00
RWT1600	1,600 (350 gal)	1.25m (4'1")	1.61m (5'3")	1.50m (4'11")	12.00	11.00/4.00	6.00
RWT2270T	2,270 tall (500 gal)	1.30m (4'3")	2.00m (6'6")	1.92m (6'4")	12.00	11.00/5.00	6.00
RWT2270LP	2,270 low profile (500 gal)	1.70m (5'8")	1.31m (4'3")	1.20m (3'11")	12.00	11.00/4.00	6.00
RWT3300	3,300 (730 gal)	1.52m (5')	2.10m (6'10")	2.00m (6'6")	12.00	11.00/4.00	6.00
RWT4500T	4,500 tall (1,000 gal)	1.70m (5'8")	2.20m (7'3")	2.10m (6'10")	12.00	11.00/4.00	6.00
RWT4500LP	4,500 low profile (1,000 gal)	2.15m (7'2")	1.58m (5'2")	1.38m (4'6")	12.00	11.00/3.00/7.00	6.00
RWT5000	5,000 (1,100 gal)	1.95m (6'5")	2.17m (7'2")	1.96m (6'5")	12.00	11.00/3.00/7.00	6.00
RWT7100	7,100 (1,560 gal)	2.15m (7'2")	2.30m (7'5")	2.12m (7')	12.00	11.00/3.00/7.00	6.00
RWT9000	9,000 (2,000 gal)	2.50m (8'2")	2.26m (7'5")	2.05m (6'9")	12.00	11.30/2.30/5.30/8.30	6.00
RWT13600	13,600 (3,000 gal)	3.10m (10'2")	2.45m (8')	2.10m (6'11")	12.00	11.00/2.00/5.00/8.00	4.00
RWT22500	22,500 (5,000 gal)	3.56m (11'8")	2.8m (9'2")	2.47m (8'1")	12.00	11.30/2.30/5.30/8.30	4.00
RWT31700	31,700 (7,000 gal)	4.10m (13'5")	3.04m (9'11")	2.61m (8'7")	12.00	11.30/2.30/5.30/8.30	4.00
RWT50KL	50,000 (11,000 gal)	4.60m (15'1")	3.44m (11'03")	3.29m (10'10")	12.00/6.00	2.00/4.00/6.00/8.00/10.00/12.00	6.00

* RWT50KL MEGA TANK IS A SMOOTH WALL DESIGN

FOR PRICES CONTACT YOUR POLYMASTER DISTRIBUTOR.

All measurements are approximate due to variable shrinkage during manufacture. Due to pigment variations with raw material manufacturers, colour shades may vary. Smaller rainwater tanks need regular maintenance if drinking quality is to be maintained. Polymaster takes no responsibility for the quality of water held in a tank. *Free delivery only applies to some regions and tank sizes. Contact us for details.

CERTIFIED

Smooth Wall Tanks



PCR5000

PCR4000

PCR13500

PCR2000

PCR10000

PCR27000



* 13,500 - 27,000L Tanks. See back cover for eligibility.



QUALITY ASSURED

- Self-supporting roof design means no support poles are necessary
- One-piece construction means there are no joins, seams or part-lines
- Double strength UV+ resin ensures ultimate protection against Australia's harsh sun
- 15 Year Warranty for peace of mind

SMOOTH WALL ROUND TANK STANDARD FITTINGS




90mm Overflow



Mosquito Proof Leaf Screen




Moulded lugs for easy lifting and tie-down points



Solid Brass Threaded Outlet

TANK ROOF DIAGRAM FOR FITTING POSITIONS



Please see table and diagram to choose your preferred overflow and outlet positions.

Brass outlets can be placed anywhere on flat skirt of tank.
4 overflow positions available.

All tanks are certified to the **RAINWATER TANK
STANDARD AS/NZS4766:2006**



**Slimline Range
Pg. 10-13**

**Colour Range
Pg. 14-15**

**Delivery &
Installation Pg.59**



**WATER
CALCULATOR
ONLINE**
calculator.
polymaster.com.au



SCAN TO
CALCULATE



SMOOTH WALL ROUND TANK FEATURES

- Smooth straight wall construction
- Threaded outlet for easy connection to pump or hose
- Certification to AS/NZS4766 tank standard
- Available in 12 standard colours - Pg.15 - other colours available on request*
- Smooth wall construction for easier cleaning
- Large tanks with a small footprint

CODE	LITRES	DIAMETER	INLET HEIGHT	OVERALL HEIGHT	STRAINER	OVERFLOW	OUTLET
PCR2000	2000 ltr	1175mm	2185mm	2255mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR4000	4000 ltr	1600mm	2150mm	2200mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR5000	5000 ltr	1800mm	2120mm	2200mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR7000	7000 ltr	2200mm	2020mm	2200mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR10000	10000 ltr	2480mm	2170mm	2350mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR13500	13500 ltr	2830mm	2470mm	2630mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR22500	22500 ltr	3573mm	2559mm	2879mm	12:00	10:30/1:30/4:30/7:30	6:00
PCR27000	27000 ltr	3573mm	3019mm	3339mm	12:00	10:30/1:30/4:30/7:30	6:00

FOR PRICES CONTACT YOUR POLYMASTER DISTRIBUTOR.

All measurements are approximate due to variable shrinkage during manufacture. Due to pigment variations with raw material manufacturers, colour shades may vary. Smaller rainwater tanks need regular maintenance if drinking quality is to be maintained. Polymaster takes no responsibility for the quality of water held in a tank. *Free delivery only applies to some regions and tank sizes. Contact us for details.

CERTIFIED

Slendastyle™ Tanks

OUR QUALITY

These tanks are certified to the
RAINWATER TANK
STANDARD AS/NZS4766:2006



URBAN WATER CONSERVATION

Great looking solutions for urban water conservation. The Slendastyle™ range provides slim-profile water storage options up to 5000L.

The Slendastyle™ rainwater tanks have been designed to hold the maximum volume of water for the minimum surface area used.




SLENDASTYLE™ TANK BENEFITS

- Space saving modern design ideal for tight spaces
- Hand grips for easy lifting
- Can be coupled to other tanks for even greater volume
- Available with submersible pump, packaged pump unit and garden pump systems
- 22 Colorbond™ colours to match your home! Pg.15



1
Leaf & mosquito proof mesh screen



2
Large 90mm Overflow



3
25mm approved Ball Valve



4
25mm Solid Brass Outlet

SLENDASTYLE™ TANK SPECIFICATIONS * Internal or external pump systems to be specified at time of order

CODE	DIMENSIONS (mm)	CAPACITY	OVERFLOW POSITION	OUTLET POSITION	SIEVE POSITION
SLST600	1220L x 580W x 1265H	600 ltr (132 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST1050	1460L x 690W x 1515H	1050 ltr (230 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST2000	2290L x 600W x 2050H	2000 ltr (440 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST3000	2570L x 790W x 2050H	3000 ltr (660 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
SLST5000	3290L x 1020W x 2010H	5000 ltr (1096 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
PCST2000	2290L x 600W x 2050H	2000 ltr (440 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt
PCST3000	2570L x 790W x 2050H	3000 ltr (660 gal)	12:00 Std/6:00 Alt	6:00 Std/12:00 Alt	6:00 Std/12:00 Alt

CERTIFIED

PolyChoice Slim Tanks

" Affordable packages for residential & commercial applications "



Household Pump Systems

There are 2 options available for connecting rainwater to your house.

1. INBUILT SUBMERSIBLE PUMP SYSTEM

- High volume/pressure stainless steel submersible pump suitable for single-storey and double-storey dwellings
- Automatic switching device fitted for rain to mains automatic changeover with no water supply interruption



▲ Submersible pump option

2. PACKAGED PUMP UNIT

The Packaged Pump Unit sits neatly beside any size tank and includes a pump protected in a poly pump house cover.



▲ PH400 or PH550

Please specify which pump system you require at time of order.

Garden Pump Systems

Using stored rainwater on your garden.

Place Complete Packaged Pump unit (as shown) beside your tank with garden tap attachment.

- 40lpm garden pump
- Constant pressure controller for ease of watering
- Pump house to protect pump



▲ PHGPS

CODE	DESCRIPTION
SLST1050AP	1050 ltr Slendastyle Tank with Submersible Pump System
SLST1050GPS	1050ltr Slendastyle Tank with Garden Pump System
SLST2000AP	2000 ltr Slendastyle Tank with Submersible Pump System
SLST2000GPS	2000 ltr Slendastyle Tank with Garden Pump System
SLST3000AP	3000 ltr Slendastyle Tank with Submersible Pump System
SLST3000GPS	3000ltr Slendastyle Tank with Garden Pump System
SLST5000AP	5000 ltr Slendastyle Tank with Submersible Pump System
SLST5000GPS	5000 ltr Slendastyle Tank with Garden Pump System
PCST2000AP	2000 ltr PolyChoice Tank with Submersible Pump System
PCST3000AP	3000 ltr PolyChoice Tank with Submersible Pump System

FOR PRICES CONTACT YOUR POLYMASTER DISTRIBUTOR.

All measurements are approximate due to variable shrinkage during manufacture. Due to pigment variations with raw material manufacturers, colour shades may vary. Smaller rainwater tanks need regular maintenance if drinking quality is to be maintained. Polymaster takes no responsibility for the quality of water held in a tank. *Free delivery only applies to some regions and tank sizes. Contact us for details.

CERTIFIED Slendaline™ Tanks



• Tank Dimensions: 2400L x 720W x 1880H

ACHIEVING A 6 STAR ENERGY RATING



Did you know...
by installing a Polymaster rainwater tank on your new house you comply with the 6 Star Energy Rating standard!



POLYMASTER TANK SHOWING STANDARD FITTINGS



1 Leaf & mosquito proof mesh screen



2 Large 90mm Overflow



3 25mm Outlet & Ball Valve



4 Door to conceal pump



5 Pump installed with rain/mains changeover (sits behind door)



6 Flexible hoses for quick connection

* Choose your pump on next page

CODE	TANK DESCRIPTION	PUMP WITH RAIN/MAINS CHANGEOVER DEVICE
BSLT2100H4	2100L PolyChoice Slendaline Tank	Hyjet 370 watt Pump for single storey dwellings - Standard
BSLT2100H5	2100L PolyChoice Slendaline Tank	Hyjet 550 watt Pump for double storey dwellings - Standard
SLT2100AP35	2100L Certified Slendaline Tank	Premium Onga 350 watt Pump for single storey dwellings
SLT2100AP45	2100L Certified Slendaline Tank	Premium Onga 450 watt Pump for double storey dwellings
SLT2100GP	2100L Certified Slendaline Tank	Hyjet 600 watt garden pump and constant pressure controller

FOR PRICES CONTACT YOUR POLYMASTER DISTRIBUTOR.

All measurements are approximate due to variable shrinkage during manufacture. Due to pigment variations with raw material manufacturers, colour shades may vary. Smaller rainwater tanks need regular maintenance if drinking quality is to be maintained. Polymaster takes no responsibility for the quality of water held in a tank. *Free delivery only applies to some regions and tank sizes. Contact us for details.

Tank+Pump Packages

Household Pump Systems

This 2100L Slendaline tank comes conveniently integrated with pump and changeover device perfect for developments or your own home.

- Fast and simple installation
- Slim design for tight spaces
- 22 Colorbond™ colours to match your home! Pg.15



CHOOSE A PUMP TO BE FITTED IN YOUR TANK



* Door not shown for illustrative purposes

• Single Storey dwelling

Standard
BSLT2100H4

OR

Premium
SLT2100AP35

• Double Storey dwelling

Standard
BSLT2100H5

OR

Premium
SLT2100AP45


DID YOU KNOW?

Daily average water usage per household (house only)

2 people – 360 litres per day

4 people – 650 litres per day

Average breakdown of water usage for house and garden.



- GARDEN & LAWN
- TOILET
- BATHROOM
- LAUNDRY
- KITCHEN

Garden Pump Systems

This tank and pump package is designed for garden & outdoor use, housing a pressure pump and a constant pressure controller.





THE LARGEST RANGE of tank colours in Australia*

At Polymaster we process our own resin and have developed a beautiful and comprehensive colour range of rainwater tanks. That's why we're the experts in Poly.

• Colours are shown for illustrative purposes only and may vary.

Request your Polymaster colour sample to view colours. Polymaster will not be held liable for incorrect colour impressions.

THE STANDARD RANGE

With so many choices of Colorbond® matched hues, we've made it easy to perfectly blend your new tank with your home. Our Standard Range takes the guesswork out of matching your tank colour with your exterior walls, guttering or roofing. No wonder this range is an Australian favourite.

Lead time - You can order the Standard Range of colours today



- 1 Mist Green (Pale Eucalypt®)
- 2 Slate Grey (Woodland Grey®)
- 3 Merino (Paperbark®)
- 4 Heritage Green (Cottage Green®)
- 5 Smooth Cream (Classic Cream™)
- 6 Rivergum (Wilderness®)
- 7 Mountain Blue (Deep Ocean®)
- 8 Wheat (Harvest®)
- 9 Monument®
- 10 Beige
- 11 Metal Grey (Ironstone®)
- 12 Heritage Red (Manor Red®)

THE OPTIONAL RANGE

If you're looking for even more colour choices, you'll find other exciting Colorbond® shades in our Optional Range. With a little extra imagination you can create a striking visual look in any outdoor space by choosing either a contrasting or complementary colour match.

Lead time - You can order the Optional Range of colours today*



- 1 Autumn Brown (Jasper®)
- 2 Mangrove®
- 3 White (Surf Mist®)
- 4 Gully
- 5 Birch Grey (Dune®)
- 6 Evening Haze®
- 7 Wallaby
- 8 Armour Grey (Windspray®)
- 9 Basalt
- 10 Gull Grey (Shale Grey)



Contact us to discuss your colour project on **1800 062 064**

* Optional colours can incur longer lead times. COLORBOND® and colour names are registered trademarks of Blue Scope Steel Ltd.™ Colour names are trademarks of Blue Scope Steel Ltd. Polymaster tank colours represented match COLORBOND® steel colours.

* More colours available on request

Tank Accessories



Polymaster offers a full range of tank accessories and pumps for all applications.

INSPECTION COVERS

An inspection cover is available as an option for every size tank. These can be used with or without a strainer.




▲ MHC3 ▲ MHC1



▲ MHC7



▲ MHC8



▲ MHC5 ▲ MHC4

WATER FILTERS

- Removes dirt, rust, sediment, taste and odour when used with a carbon cartridge
- **PM10M** will fit under sink/hand basin or onto tank
- Easily fits inline on pipe work
- **PM201** designed for a whole house
- Other filters available



PM10M >

CODE	DESCRIPTION
MHC1	Water entry cover to suit 600mm inspection opening (13,600 to 31,700L corrugated tanks)
MHC3	Water entry cover to suit all 400mm openings and allows for your inlet pipe to enter but eliminates access of dust, leaves and sunlight through the strainer
MHC4	Water entry cover to suit 400mm opening (RWT9000, RWT7100, RWT5000, RWT4500 & RWT2270LP)
MHC5	Water entry cover to suit 300mm inspection opening
MHC6	Water entry cover to suit all 200mm openings
MHC7	Water entry cover to suit SLT2100 tanks
MHC8	Water entry cover to suit SLST1050, SLST2000, SLST3000 & SLST5000 tanks
MHC9	Water entry cover to suit SLST600 tanks only
MHCA	Water entry cover to suit PolyChoice large tanks and RWT50KL tanks
PLC101	10" carbon filter cartridge
PM10M	10" filter housing 20mm ports (Sink Tap)
NCP20	20" carbon filter cartridge
PM201	20" filter housing 25 mm ports (Whole House)

PUMPS AND PUMP COVERS

• Details on Pg 11-13



▲ HHR400



▲ SMHW35



▲ DHJ600P

- A large range of quality pumps are held in stock for all rainwater tank needs

- Pump covers are available in popular tank colours to house and protect pumps



▲ PC01

PUMP + PUMP COVER PACKAGE

- Pump housed and protected in poly cover
- Fits neatly beside any size tank for automatic supplementary device

CODE	DESCRIPTION
SMHP45	Onga S/Steel multi-stage pump up to 55lpm
SMHP55	Onga S/Steel multi-stage pump up to 65lpm
SMHP75	Onga S/Steel multi-stage pump up to 80lpm
SMHP90	Onga S/Steel multi-stage pump up to 90lpm
SMHW35	Onga 350watt Pump with waterswitch for single storey dwellings up to 45lpm
SMHW45	Onga 450watt Pump with waterswitch for multi storey dwellings up to 55lpm
OTB10	Onga S/Steel Submersible pump up to 55lpm
HHR400	Hyjet 370watt Pump for single storey dwellings up to 55lpm
HHR550	Hyjet 550watt Pump for multi storey dwellings up to 70lpm
PC01	Pump cover for household pumps 700L x 450W x 560H mm
DHJ600P	Hyjet garden pump 600watt up to 45lpm
P45AP	SMHW35 Onga pump & changeover device protected in pump cover 700L x 450W x 560H mm
PH400	HHR400 Hyjet 370watt pump & changeover device protected in pump cover 700L x 450W x 560H mm
PH550	HHR550 Hyjet 450watt pump & changeover device protected in pump cover 700L x 450W x 560H mm



VISIT WEBSITE FOR MORE


WATER LEVEL INDICATORS



- Levigator - LT01
- Liquidator - LQ01
- Dipstik - DPK1

WATER DIVERTER

HOW IT WORKS



1. First flush of contaminated water is diverted into chamber
2. Once chamber is full fresh water flows to tank

LEAF GUARDS



- Swivel outlet fits under gutter to prevent leaves from entering downpipe.
- UV resistant material
- Stainless steel internal screen
- Leaves blow off when dry
- Outlet can be Horizontal or Vertical

CODE	DESCRIPTION
LT01	Levigator - shows the actual water level. Trouble free use - Aluminium, Stainless Steel and treated cord. In operation since 1985.
LQ01	Liquidator - Ideal for chemical and liquid fertiliser tanks, only float in contact with liquid. (Pole not included)
DPK1	Dipstik - protrudes above roof / 360° all round visibility.
LGSO	Leaf Guard - Swivel Outlet
LWD	Leaf Eater Water Diverter
SSTS6	600ltr Slendastyle™ tank stand 1210L x 650W x 520H
SSTS10	1,050ltr Slendastyle™ tank stand 1450L x 700W x 520H
TS600	600ltr round tank stand 890 sq x 520H
TS1000	1,000ltr round tank stand 890 sq x 520H



TANK STANDS AVAILABLE

Polymaster's tank stands are available to suit 600Ltr & 1,050Ltr tanks

TS600


FIRST FLUSH WATER DIVERTER



This First Flush Water Diverter has been designed to fit onto the outside of most round tanks to keep your rainwater extra clean

< FFWD

HOW TO WORK?



MHCDF5

MHCDF4

MHCDF1

- Fits tanks from RWT1600 - RWT31700
- Available in all tank colours
- Easily attached through specially designed inspection covers on the roof of the tank
- Collects the first 40 litres of sedimented run-off, keeping it from entering the main tank
- Fits into inspection cover and can be fitted to existing tanks
- Catchment tank can be easily cleaned

CODE	DESCRIPTION
FFWD	First flush Water Diverter - 40 ltr
MHCDF5	Water diverter cover to suit 300 mm inlet
MHCDF4	Water diverter cover to suit 400 mm inlet
MHCDF1	Water diverter cover to suit 600 mm inlet

CERTIFIED Septic Tank



The toughest Septic Tank... Watch the Bloo VS Datsun fight at bloo.polymaster.com.au

▶ SEPTIC VS DATSUN STANZA VIDEO SNEAK PEEK >



Visit: bloo.polymaster.com.au


BLOO SEPTIC TANK

Your best septic solution. Low profile tank design to minimise the amount of excavation required prior to installation.



^ Shown With Optional Riser

- Tested & Certified to AS/NZS 1546.1:2008
Licence no. BMP650823 & BMP657673
- Lifting Lugs to Facilitate Placement
- Large inspection opening
- Made tough to make it easy



CODE	DIMENSIONS (mm)	CAP.
BST3250	Septic tank 1380H x 2400L x 1830W	3,250 Ltr

* Freight Additional

BLOO SEPTIC BENEFITS

EASY TO HANDLE

One-piece moulded tank with lifting lugs incorporated into the design to make it easy to sling the tanks using lifting machinery.

PRE- ASSEMBLED

Pre-assembled before leaving the factory, to minimise the amount of work required on site. Simply position the tank and connect the in and out flow pipes!

ENGINEERED DESIGN

The ribbed design provides for incredible strength and resistance to shape deformation. Extensive work and physical testing has ensured that BLOO SEPTIC TANKS® will be good indefinitely.

COMPACT DESIGN

Designed to minimise the amount of digging required prior to installation. By utilising a low profile design, the depth of excavation is minimised, and the hole is easier to backfill after installation.



CERTIFIED

Underground Tanks



Visit Website For More polymaster.com.au

UNDERGROUND TANKS - 2,250 & 5,000LTR



OUT OF SIGHT

With the smallest footprint in the industry, Polymaster Underground Rainwater Tanks give you the maximum capacity for the minimum square meterage.



- Fully tested polyethylene tanks designed to withstand ground and water pressure at depth
- Engineered by geotechnical experts including finite element analysis (FEA)

VORTEX FINE FILTERS

Fitted to a horizontal drain pipe, it filters and diverts the rainwater to a storage tank.

- Self Cleaning - captures more than 90% of water while cleaning your filter as well
- Ideally used with Polymaster Underground Tanks



CERTIFIED

Retention & Detention Tanks



AVAILABLE ON ALL POLYMASTER TANKS

Often prescribed by councils and government bodies to control the release of water into the stormwater system

WHAT ARE RETENTION - DETENTION TANKS?

Retention and Detention tanks are often prescribed by councils and government bodies to control the release of water into the stormwater system.

All Polymaster above-ground rainwater tanks (round or slim) can be adapted to meet your retention or detention needs.

RETENTION FUNCTION

The lower portion of this tank functions simply to retain a sustainable supply of rainwater for household or garden use.

CONTROLLED RELEASE OUTLETS

Polymaster offer a wide range of specialised outlets for this purpose. See available options online polymaster.com.au

THINK FERTILISER

THINK POLYMASTER

EXTRA HEAVY-DUTY CONSTRUCTION TO SUIT LIQUIDS WITH A SPECIFIC GRAVITY OF UP TO 1.5 SG.

Liquid fertiliser is increasingly popular in the field of agriculture/horticulture, and requires on farm storage in a Polymaster tank.



▲ LFT31700



Optional Top Fill Kit




Ball valve and Camlock

SPECIAL FEATURES

- Bulk tanker loads into heavy duty polyethylene tanks is the preferred and most economical way to store liquid fertiliser
- Saves mixing time and does not settle out or need constant agitation
- Extra heavy duty wall thickness, to suit liquids up to 1.5SG.
- Manufactured in one piece - no joins or seams, and self supporting roof (no roof support pole)

STANDARD FEATURES & LOCATIONS

- 12:00** Inspection Cover
- 12:30** 2" s/s steel outlet or ball valve
- 12:30** 2" stainless steel Camlock (bottom fill connection)
- 1:30** Liquidator - true level indicator
- 2:30** Breather / Overflow



CODE	DESCRIPTION	CAP.
LFT9000	Liquid fertiliser tanks	9,000 ltr
LFT13600	Liquid fertiliser tanks	13,600 ltr
LFT22500	Liquid fertiliser tanks	22,500 ltr
LFT31700	Liquid fertiliser tanks	31,700 ltr
LFT50KL	Liquid fertiliser tanks	50,000 ltr
LTFK	Optional Liquid Fertiliser Top Fill Kit	
LCT65K	6.5HP Chemical / Fertiliser Pump	

Fertiliser Mixing Vessels

ON-FARM BATCHING & BLENDING SOLUTIONS.

These systems provide a simple & effective solutions for mixing liquid fertiliser on the farm.

AGITATED VESSEL

FOR OUR RANGE OF SELF-DRAINING VESSEL OPTIONS SEE AQUACULTURE TANK RANGE ON PAGE 31.

P.O.A.



AGITATED TANK

FOR OUR RANGE OF TANK OPTIONS SEE RAINWATER TANK SECTION ON PAGE 6-9. P.O.A.



Heavy Duty Pedestal



Mixing Propeller



Centre Sump Outlet



Separate Base

SIMPLE AND EFFECTIVE VENTURI AGITATION



▲ FT2000B-V

SPECIAL FEATURES

- Effective mixing with recirculation pump
- Self-draining tank – no waste when emptying
- Safe mixing with venturis – no moving parts
- Resistant to most fertilisers & trace elements

FOR OUR RANGE OF SELF-DRAINING VESSEL OPTIONS SEE AQUACULTURE TANK SECTION ON PAGE 31. P.O.A.



DEPENDABLE AND PROVEN PACKAGES

These tank packages are designed to be connected to pipelines for stock and domestic water supply.



PIPEWORK FOR ILLUSTRATION PURPOSES ONLY

▲ PLT22500

QUALITY CERTIFIED


Polymaster Pipeline Tank being fully Certified are now supplied with Watermark approved brass float valves certified to AS1910, as recommended by pipeline authorities.



1 x 90mm overflow / breather



25mm fitting & WFV1 float valve assembly adjacent inspection cover



1 x 65mm CFA/CFS coupling



Additional 50mm outlet

✓ POLYMASTER HAS BEEN SPECIALISING IN PIPELINE TANKS & TROUGHS SINCE 1994

SOME OF THE PIPELINES WE HAVE SERVICED:

- Normanville
- Broken Creek
- Tungumah
- Waranga Western
- Wimmera Mallee
- Goulburn Murray Water
- East Loddon
- Mitiamo
- Euston
- Wanganella

STANDARD FITTINGS & LOCATIONS

- 12:00** Inspection Cover
- 2:30** Overflow / Breather
- 4:00** 50mm Brass Outlet
- 8:00** CFA2 - CFA connection
- 11:30** Fitting & WFV1 float valve



All tanks are certified to the RAINWATER
TANK STANDARD AS/NZS4766:2006



FOR PRICES
CONTACT YOUR
POLYMASTER
DISTRIBUTOR



OPTIONAL INTERNAL FIT OUT AVAILABLE



CODE	DESCRIPTIONS
PLT9000	9,000Ltr Corrugated Wall Pipeline Tank
PLT13600	13,600Ltr Corrugated Wall Pipeline Tank
PLT22500	22,500Ltr Corrugated Wall Pipeline Tank
PLT31700	31,700Ltr Corrugated Wall Pipeline Tank
PLT50KL	50,000Ltr Smooth Wall Pipeline Tank
PLTPC22500*	22,500Ltr Smooth Wall Pipeline Tank (15 YEAR WARRANTY)
PLTPC27000*	27,000Ltr Smooth Wall Pipeline Tank (15 YEAR WARRANTY)





THINK TROUGHS

THINK POLYMASTER

Supa Troughs™

PREMIUM RANGE

▲ SPT5



▲ SPT9



▲ SPT12



UNIQUE ALL-POLY CONSTRUCTION. DURABLE AND PORTABLE. NO CHANCE OF RUSTING.

- Great for watering large numbers
- Can service two paddocks either side of the fence
- Ideal for both the broad acre grazier and the hobby farmer
- Central fill point spreads fresh water for animal satisfaction

SUPA TROUGH BENEFITS

- One-piece trough incorporating float cover.
- 25 mm large bore sleeve valve. Max rating 965 KPA
- Long lasting UV resistant polyethylene
- Raised cover allows trough to fill to brim
- 75mm drain bung for quick draining & cleaning



Easy access to float valve



75mm drain cap each end

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
SPT5	1,500 (5')L x 600W x 375H	250 ltr	\$454.00
SPT9	2,700 (9')L x 600W x 375H	450 ltr	\$549.00
SPT12	3,700 (12')L x 600W x 375H	600 ltr	\$787.00

HIGH PRESSURE VALVES AVAILABLE! CALL US TODAY ON 1800 062 064

Master Tub Troughs

PREMIUM RANGE

HIGH
PRESSURE
VALVES
AVAILABLE



▲ MT45

MT24 >



MT12 >

▲ MT2

▲ MT6



IDEALLY SUITED FOR

- Cows, Calves, Sheep, Goats and Horses.



PLEASE NOTE - Troughs need to be kept near full to ensure no stock damage.

MASTER TUB TROUGH INCLUDES



75mm drain bung



Quick release float cover
* MT2, MT6, MT12 only



▲ MT2

THE ULTIMATE IN ROUND TROUGH

- Very strong, robust design
- Easy to service
- Full float protection
- New 75 mm bung - great cleaning
- Drain bung at very base of trough, so max. amount of water will empty out when draining
- "Quick release" float cover (MT2, MT6, MT12)
- Easy service 1" float valve
- Higher rating valves available on request

MASTER TUB TROUGH BENEFITS

- Float enclosure moulded as part of trough
- Raised float allows trough to fill completely
- All pipe work protected by trough surround
- Rounded trough rim
- Ribbed for added strength
- New slide up access cover with quick lock pin protects float

HIGH VOLUME FLOAT VALVE (MAX PRESSURE 65PSI*)

CODE	DESCRIPTIONS	PRICE (INC. GST)
AFV4B	40mm sleeve valve incl 50mm Brass Outlet	\$186.00
AFV6L	25mm piston valve long arm 1400KPA rating	\$36.00

*Optional on MT24 and MT45

MASTER TUB TROUGH - WITH ENCLOSED FLOAT

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
MT2	970 (3'2") dia x 375H	200 ltr	\$330.00
MT6	1,400 (4'7") dia x 520H	600 ltr	\$520.00
MT12	1,765 (5'9") dia x 600H	1,200 ltr	\$750.00
MT24	2,380 (7'10") dia x 650H	2,400 ltr	\$1,045.00
MT45	3,370 (11') dia x 640H	4,500 ltr	\$1,314.00



^ SWT22500

NEW
PRODUCT

TANK & TROUGH COMBO

Stock Watering Tanks

STOCK WATERING TANK / TROUGH

SWT4500 >

TROUGH CAN
BE PURCHASED
SEPARATELY

SWT15 >



- 1 Inspection cover
- 2 25 mm tank inlet and 25 mm float valve supplied
- 3 25 mm float valve mounted in bottom of wall to maintain level in trough
- 4 Full float cover to protect valve from stock damage
- 5 75 mm drain bung in trough



22,500L & 27,000L LARGE STOCK WATERING TANKS & TROUGHS



^ SWT27000



ENSURES LARGE WATER RESERVES AT ALL TIMES.

Ideally used in conjunction with pipeline applications

- Double-sided sweep out point ensuring ease of cleaning
- Internal plumbing preventing stock damage
- Cooler, cleaner stock water at all times

CODE	DIMENSIONS(mm)	CAP.	PRICE (INC. GST)
SWT22500	22,500L Tank Ø 3643 x 2778H Large Trough Ø 4470 x 375 H (mm)	22,500 L	\$5,950.00
SWT27000	27,000L Ø 3643 x 2910H Large Trough Ø 4470 x 375 H (mm)	27,000 L	\$6,490.00
SWT4500	Ø 2,500 x 2,000H (4500L Tank + Trough)	4,500 L	\$2,129.00
SWT15	Ø 2,500 x 375H (Trough only)	1,500 L	\$720.00

Sweep Troughs



Watch the video at
sweeptrough.polymaster.com.au

450L LARGE SWEEP TROUGH & BROOM



SWP450 ▲

STB450 >

• Broom to be purchased separately

450L LARGE SWEEP TROUGH FEATURES

- 450L large capacity
- Sweep out end for easy cleaning
- 2 inch drain for stock water and ballast water
- Ballast water adds weight to prevent stock damaging or moving trough when empty, and keeps trough water cooler



- Float cover prevents any damage to inlet. Multiple float sizes available
- Can be linked back-to-back with use of only one float (saves cost of purchasing two floats)
- Tough double-skin product for extra strength



Minimises water wastage and maximises water efficiency when cleaning

▲ SWP11

200L SWEEP TROUGH & BROOM



▲ SWP11

< STB1

EASY TO MOVE AROUND THE Paddock

- Hinged float cover
- 25 mm float valve (Optional 32mm, 40mm or 50mm valves available if required, max. rating 965 KPA)
- Easy cleaning, smooth sweep out end
- Double walled, fully supported trough
- Protected float valve area
- 50 mm drain bung fitted

CODE	DIMENSIONS(mm)	CAP.	PRICE (INC. GST)
SWP450	450L Sweep Trough 3495 L x 772 W x 375H	450 L	\$880.00
STB450	Sweep Broom (To suit SWP450)		\$81.00
SWP11	200L Sweep Trough 3500 L x 540W x 360H	200 L	\$658.00
STB1	Sweep Broom (To suit SWP11)		\$66.00



M Series Troughs | Continuous Dry Feed Trough | Hay & Grain Feeder

M WATER TROUGHS



▲ From top to bottom
PTM34W, PTM33W, PTM32W, PTM31W

M FEED TROUGH



▲ PTM32F

- Stackable
- Easily lifted to drain water out of trough
- Can be pegged down
- Suits all livestock



M FEED TROUGHS

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PTM31F	2,400 (8')L x 460W x 175H	140 ltr	\$216.00
PTM32F	1,800 (6')L x 460W x 175H	100 ltr	\$196.00
PTM33F	1,200 (4')L x 460W x 175H	60 ltr	\$148.00
PTM34F	750 (30")L x 460W x 175H	35 ltr	\$95.00

M WATER TROUGHS

- inc 15 mm float valve and cover (no drain bung)

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PTM31W	2,400 (8')L x 460W x 175H	140 ltr	\$307.00
PTM32W	1,800 (6')L x 460W x 175H	100 ltr	\$252.00
PTM33W	1,200 (4')L x 460W x 175H	60 ltr	\$207.00
PTM34W	750 (30")L x 460W x 175H	35 ltr	\$164.00

CONTINUOUS DRY FEED TROUGHS

Holds approx. 8 kg of Oats / Barley per metre.



▲ CFT8



LINKING FEATURE

- Minimises waste when feeding.
- Flexible & Durable
- End to end linking feature (any amount can be joined together)
- Available with ends on request

CODE	DESCRIPTIONS	PRICE (INC. GST)
CFT8	2,320L x 230W x 85H	\$65.00
FTP9	Anchoring pegs for continuous troughing (pack of 6)	\$32.00

HAY & GRAIN FEEDER

- Fits full bale of hay
- Hinged lid
- Feeding Trough in base
- Covered from weather
- Now on 450mm stand
- Can be pegged down



CODE	DIMENSION	PRICE (INC. GST)
HGF13	1300L x 1150W x 1200H	\$1,052.00


Longline Troughs

THE RANGE



▲ From top to bottom
PT09F, PT22F, PT07F, PT19F, PT17F

- Provision for pegging down
- 50 mm drain bung in all feed and water troughs
- 25 mm square galvanised tube
- Float valve protected by cover
- UV stabilised tough poly liner



25mm valve and float cover. Fitted to all Longline Water Troughs.

LONGLINE FEED TROUGHS - No Float - Inc. 50mm Drain Bung

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PT09F	1,200 (4')L x 450W x 300H	98 ltr	\$267.00
PT08F	1,200 (4')L x 450W x 450H	98 ltr	\$303.00
PT22F	1,800 (6')L x 450W x 300H	145 ltr	\$427.00
PT21F	1,800 (6')L x 450W x 450H	145 ltr	\$447.00
PT07F	2,400 (8')L x 450W x 300H	190 ltr	\$469.00
PT06F	2,400 (8')L x 450W x 450H	190 ltr	\$498.00
PT19F	3,600 (12')L x 450W x 300H	288 ltr	\$720.00
PT18F	3,600 (12')L x 450W x 450H	288 ltr	\$758.00
PT17F	4,800 (16')L x 450W x 300H	380 ltr	\$773.00
PT16F	4,800 (16')L x 450W x 450H	380 ltr	\$821.00

LONGLINE WATER TROUGHS - Inc. 25mm Valve & 50mm Drain Bung

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PT09W	1,200 (4')L x 450W x 300H	98 ltr	\$325.00
PT08W	1,200 (4')L x 450W x 450H	98 ltr	\$369.00
PT22W	1,800 (6')L x 450W x 300H	145 ltr	\$478.00
PT21W	1,800 (6')L x 450W x 450H	145 ltr	\$478.00
PT07W	2,400 (8')L x 450W x 300H	190 ltr	\$585.00
PT06W	2,400 (8')L x 450W x 450H	190 ltr	\$607.00
PT19W	3,600 (12')L x 450W x 300H	288 ltr	\$816.00
PT18W	3,600 (12')L x 450W x 450H	288 ltr	\$852.00
PT17W	4,800 (16')L x 450W x 300H	380 ltr	\$938.00
PT16W	4,800 (16')L x 450W x 450H	380 ltr	\$974.00

PC CHOICE
POLY



YOUR ALTERNATIVE RANGE....

ROUND TROUGHs



LONG TROUGHs



SPECIAL FEATURES

- Enclosed float compartment to avoid stock access.
- Very strong perimeter rim to prevent stock damage
- Unique lift up flap for easy float access
- 5 popular sizes

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PCTR22	1000D X 400 H	220ltr	\$220.00
PCTR66	1500D X 500 H	660ltr	\$337.00
PCTR120	1900D X 530 H	1200ltr	\$549.00
PCTL12	1200L x 600W x 375 H	160ltr	\$286.00
PCTL24	2400L x 600W x 375 H	360ltr	\$431.00

* FREIGHT ADDITIONAL

Footrot Baths & Grain Saver



STANDING TYPE



▲ FRB

RACE TYPE



▲ RFRB

✓ **RACE TYPE FOOTROT BATH HAS AN END TO END LINKING FEATURE IDEAL FOR PLACING IN A SHEEP RACE.**

Unique pyramid shaped rib through centre of trough to:

- Keep hooves either side of the trough
- Give added strength and support to trough floor
- Reduce amount of solution needed to treat stock

✓ **STANDING TYPE FOOTROT BATH TO CONTROL HOOF DISEASES IN SHEEP AND GOATS. USE WITH PORTABLE YARD TO KEEP ANIMALS CONFINED.**

- Lightweight for ease of handling. Non-slip floor
- Will not rust, rot, chip or flake. Fully chemical resistant
- Dimples in base open hooves, ensuring penetration
- Smooth, hygienic and easily cleaned
- End to end linking facility - join any amount together
- Not recommended for cattle & horses

CODE	DIMENSIONS	CAPACITY	PRICE (INC. GST)
FRB	Standing Type 2,530L x 1,000W x 200H	45mm (1.75") high = 100 ltrs 90mm (3.5") high = 200 ltrs 125mm (5") high = 300 ltrs	\$473.00
RFRB	Race Type Footrot Bath 2,400L x 480W x 200H	50mm (2") high = 35 ltrs 100mm (4") high = 80 ltrs max	\$296.00

GRAIN SAVER

- Trough fits inside most hay rings
- Grain saver slopes to edge of trough so that grain is always within easy reach



GRF400 >

▲ FTL2000

* FRAME FOR ILLUSTRATION PURPOSES ONLY

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
GRF400	1,800 dia. x 350H trough	400 L	\$424.00
FTL2000HGR	Poly Lid for Hay Ring - 2,180 dia.		\$355.00

BARE ROUND TUBS

PT11W >



< PT13W

PT12W >

< PT10W

Intended for water trough use only

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PT12W	1,000 (3') dia x 420H	250 ltr	\$200.00
PT10W	1,200 (4') dia x 500H	500 ltr	\$311.00
PT11W	1,600 (5'3") dia x 600H	1000 ltr	\$431.00
PT13W	2,100 (7') dia x 600H	2000 ltr	\$748.00

THINK AQUACULTURE

THINK POLYMASTER

AQUACULTURE TANKS



▲ FT200



▲ FT500B



▲ FT1000B



▲ FT2000B



▲ FT5000B



SHOWN WITH
OPTIONAL
WATER
CONTROLLER

▲ FT9000B WITH
WCK02 + PIPEWORK

CODE	DESCRIPTIONS	FLOOR SLOPE	PRICE (INC. GST)
FT200	200 ltr Flat bottom tank 800 dia x 560H	-	\$178.00
FT500B	500 ltr Tank & Base 1,000 dia x 1,000H	80 mm	\$649.00
FT1000B	1000 ltr Tank & Base 1420 dia x 1200H	40 mm	\$974.00
FT2000B	2,000 ltr Tank & Base 2,000 dia x 1,000H	150 mm	\$1,540.00
FT5000B	5,000 ltr Tank & Base 2,850 dia x 1,180H	120 mm	\$2,497.00
FT9000B	9,000 ltr Tank & Base 3,500 dia x 1,280H	100 mm	\$3,740.00
FTL2000MGR	2,000 ltr Tank Lid only	2,180 dia	\$344.00

* Freight Additional

SPECIAL FEATURES

- Unique sump moulded in one piece with tank
- Food grade virgin polyethylene
- Sloping bottom with purpose built all poly base
- Excellent height for efficient fish handling
- Poly water level controller fits under top lip of tank
- No internal pipework in tank to damage fish or get in the way
- Water level controllers available, tanks 1,000-9,000 L



PIPEWORK NEEDED FOR EACH SIZE OF TANK:

- 500- 2,000L needs 65 mm SWV pipe to join onto sump
- 5,000L & 9,000L needs 100 mm SWV pipe to join onto sump



▲ APRS Poly riser screen



▲ Optional pipe work

AQUACULTURE TANK ACCESSORIES

CODE	DESCRIPTIONS	PRICE (INC. GST)
WCK01	Water controller kit for 2,000 ltr tanks +1000	\$178.00
WCK02	Water controller kit for 5,000 ltr tanks +9000	\$193.00
APRS	Aquaculture Poly Riser Screen 300 mm	\$149.00



THINK FEEDERS

THINK POLYMASTER

STABLE DRINKERS

PT50W >



IDEAL FOR

- Horses, Calves, Dogs, Emus, Chickens and Pigs.

STABLE DRINKER BENEFITS

- Moulded float cover
- Very strong solid mounting flanges
- Drain bung for cleaning
- Available with optional brackets for fence hanging

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
PT48W	Stable Drinker 300 x 300 x 224	8 ltr	\$108.00
PT48WB	PT48W fitted with brackets	8 ltr	\$137.00
PT49W	Stable Drinker 440 x 380 x 350	25 ltr	\$156.00
PT49WB	PT49W fitted with brackets	25 ltr	\$174.00
PT50W	Stable Drinker 490 x 430 x 440	45 ltr	\$186.00
PT50WB	PT50W fitted with brackets	45 ltr	\$203.00
PT04W	Stable Drinker 350 x 350 x 150	5 ltr	\$113.00

FEEDERS & DRINKERS COLOUR RANGE



1. HERITAGE GREEN - Standard

2. PURPLE

3. PINK

4. LIME GREEN

Feeders & Drinkers

HAYRACK - PTO3

- Large feed bin saves feed wastage
- Fits whole biscuit of hay
- Fits on rail or fence



PTO3 Heritage Green

32 LTR STABLE FEEDER - PT14

- With Brackets

- Replaces old tin feeder
- Very robust, will not corrode or dent
- Galvanised brackets inside and out
- Most popular product



32 LTR CORNER FEEDER - PT15

- Designed for corner of stable
- Replaces old tin feeder
- Galvanised brackets inside and out



45 LTR FEEDER - PTO2

- With Brackets

- 50mm drain bung for ease of cleaning
- Strong galvanised steel for wall mounting bracket
- Can be ordered with flat stable brackets (PTO2FS)



18LTR TYRE FEEDER - PTF18

- Virtually indestructible trough
- Suitable for all livestock
- Utilises your unwanted tyres
- Fits from 14" to 16" tyres
- Saves wastage of feed
- Will not easily tip or spill



PTF18 Heritage Green

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
PTO3	Hayrack 600 x 500 x 700	-	\$199.00
PT15	Corner feeder 450 x 450 x 270	32 Ltr	\$76.00
PTO2	Feeder with fence hanging brackets 540 x 410 x 380	45 Ltr	\$128.00
PTO2FS	PTO2 with flat stable brackets	45 Ltr	\$150.00
PT14	Stable Feeder 440 x 400 x 250	32 Ltr	\$79.00
PTF18	Tyre Feeder Ø 440 x 195 H	18 Ltr	\$35.00

- Brackets are sent loose

POLYCHOICE

YOUR ALTERNATIVE RANGE....

POLYCHOICE TROUGHS

- Economical feeding option
- No brackets required
- Colour - Black



CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
PCF25	Flange Mount 350 x 350 x 250	25ltr	\$57.00

THINK CALFATERIA

THINK POLYMASTER

FENCE HUNG GRAVITY FEEDERS



MM8P



MM5P



MM12P



A HUGE RANGE OF CALF FEEDERS FOR EVERY SITUATION

Polymaster makes hygienic calf feeding as easy and affordable as possible within Australia.



A must for every calf rearer, our comprehensive range of calfaterias (milkmaid feeders) have been thoroughly tested and proven to efficiently feed calves from the first day through to weaning. When you think calf feeding, think Polymaster.

MILKMAID FEEDER

- Generous teat spacing allows calves room to feed
- UV stabilised poly for long outdoor use
- 2.5 litres each division - MM5, MM8
- 2.0 litres each division - MM12, MM13
- Teat cap easily unscrews to wash out feeder
- Adjustable galvanised hanging brackets to suit rail spacing

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
MM5P	5 teat individual feeding divisions with screw on Peach Teat	30 ltr	\$168.00
MM8P	8 teat individual feeding divisions with screw on Peach Teat	40 ltr	\$276.00
MM12P	12 teat individual feeding divisions with screw on Peach Teat	70 ltr	\$368.00

Fence Hung & Divisional Feeders

FENCE HUNG GRAVITY FEEDERS



CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
MBP	Single teat milk bottle	2 ltr	\$47.00
MMIP	Single teat milkmaid	5 ltr	\$60.00
CF3P	3 teat milk bucket - no divisions	10 ltr	\$126.00
CF5P	5 teat calfateria - no divisions	25 ltr	\$167.00
CF12P	12 teat calfateria - no divisions with screw on Peach Teat	70 ltr	\$325.00
MM13P	13 teat individual feeding divisions with screw on Peach Teat	70 ltr	\$440.00
CF13P	13 teat calfateria - no divisions with screw on Peach Teat	70 ltr	\$414.00



20 TEAT DIVISIONAL FEEDER



- 2.5L each division / Total capacity 100L
- Free standing unit-feeds 20 calves
- Rigid galvanised stand

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
MM20P	Fitted with 20 peach teats	100 ltr	\$715.00

CALF TEAT

Available on all Calf Feeders from Polymaster.

The popular peach teat has continued to be the preferred teat for calf acceptance and ease of feeding.



▲ PCT/SCIT

CODE	DESCRIPTIONS	PRICE (INC. GST)
PCT/SCIT	Peach teat with internal thread cap	\$13.00
PCT/SC	Peach calf treat pulled through screw cap	\$11.00
SCP	Screw cap (suitable for peach teat)	\$4.00
PCT	Peach calf teat only	\$9.00
SCITP	Screw cap with internal thread	\$8.00

Mobile Gravity Milk Feeders & Transporter

MOBILE GRAVITY MILK FEEDERS



▲ MG40P



▲ MG50P
Tandem axle also available



▲ MG60P



CALF REARING DOESN'T GET ANY EASIER THAN THIS

Only Polymaster calf feeders have all the features and benefits that make the Australian calf rearing job that much easier. Continually improving models to make calf feeding more pleasurable.

Milk is at the teat as soon as the valve is turned on.

TRAILERS FITTED WITH SCREW-ON PEACH TEATS

- Fully hot dipped galvanised frame
- Screw-on teats can be replaced with blanks to match the number of teats to the number of calves
- Adjustable fold away jockey wheel
- Built in backwash for all trailer units
- Self Cleaning washing head used in tank
- 2 x large hinged filling lids
- Floating level indicator
- Sump drains to front of unit for bucket filling or easy cleaning
- Two cleanable manifolds, controlled by two valves
- Level gauge included

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
MG40P	40 teat mobile gravity feeder	400 ltr	\$3,385.00
MG50P	50 teat mobile gravity single axle feeder	400 ltr	\$3,960.00
MG50LTAP	50 teat mobile large tandem wheels	800 ltr	\$4,909.00
MG60P	60 teat mobile large tandem wheels	800 ltr	\$5,526.00

Dry Feeding & Milk Test Buckets

PELLET FEEDERS



PELLET FEEDER FEATURES

- Height of frame 600 mm
- Galvanised frames with splayed legs for greater stability
- Poly trough liner – will not rust, very durable

CODE	DIMENSIONS (mm)	CAP.	PRICE (INC. GST)
PTC36F	Trough 2,400 (8') x 300 x 600	68 kg	\$311.00
PTC37F	Trough 1,800 (6') x 300 x 600	52 kg	\$282.00

MILK TEST BUCKETS



- Exceptionally strong
- Stainless steel handle
- Easy to clean; no unhygienic crevices
- Pipe attachments to suit 5/8" or 3/4" tubing
- Handle grips on bottom for ease of pouring

CODE	DIMENSIONS (mm)	CAP.	PRICE (INC. GST)
PTB25	Test Bucket 490H x 300 dia	25 ltr	\$267.00
PTB32	Test Bucket 510H x 330 dia	32 ltr	\$303.00

MOLASSES FEEDERS



CAUTION
Special care should be taken when administering urea and other supplements, excess consumption can cause death

< PT05



- All poly proven design
- Urea feeding and bloat control
- Popular with cattle. Removable roller for cleaning
- Floating roller - no metal bearings

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
PT05	880L x 700W x 420H	100 ltr	\$418.00

Lamb & Goat Feeders



LAMB FEEDERS & TEATS



▲ MM5L



▲ MM8L



▲ CF12L



▲ LT/BC



▲ LT/SC

- Lamb teats can be fitted to any fence feeder.
- Lamb teats can screw onto soft drink bottle.
- Can also be used for goats



HUGE RANGE OF LAMB FEEDERS FOR EVERY SITUATION

Polymaster's complete range of Lamb & Goat feeders have been thoroughly tested and proven to efficiently feed lambs from the first day through to weaning. A must for every sheep farmer.



▲ FLBF



▲ MBL



▲ CF3L

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
FLBF	Flexible lamb bottle feeder	1ltr	\$31.00
MBL	Milk bottle with lamb teat	2ltr	\$47.00
MM1L	Single teat milkmaid	5ltr	\$50.00
CF3L	3 teat milk bucket - no divisions	10ltr	\$127.00
CF5L	5 teat milk bucket - no divisions	25ltr	\$132.00
CF12L	12 teat lambar - no divisions	70ltr	\$270.00
MM5L	5 teat lambar - indiv. feeding divisions	30ltr	\$171.00
MM8L	8 teat lambar - indiv. feeding divisions	40ltr	\$282.00
MM12L	12 teat lambar - indiv. feeding divisions	70ltr	\$368.00
MM13L	13 teat lambar - indiv. feeding divisions	70ltr	\$375.00
LT/SC	Lamb teat through screw cap		\$10.00
LT/BC	Lamb teat through bottle cap		\$9.00

ANY POLYMASTER FENCE HUNG FEEDER CAN BE USED AS A LAMB FEEDER

THINK FIRE PLAN

THINK POLYMASTER



WATER CARTAGE TANKS



SUITABLE FOR MANY APPLICATIONS, FROM GENERAL WATER CARTING TO TREE WATERING, FIRE-FIGHTING AND CHEMICAL CARTAGE.

- Moulded internal baffles for vehicle stability
- Tough and durable one-piece moulding
- Translucent (to see water level)
- Sits directly on any flat surface
- 1" brass outlet 200L & 400L
- 1½" brass outlet 600L - 3000L
- High strength, lightweight polyethylene construction



▲ FTR3000

▲ FTR2000

▲ FTR1200

▲ FTR800

▲ FTR600

▲ FTR400

▲ FTR200

COMPACT STYLE ALSO AVAILABLE FOR 600 & 800L



▲ FTR600U

▲ FTR800U

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
FTR200	1050L x 700W x 600H	200L	\$528.00
FTR400	1680L x 700W x 600H	400L	\$729.00
FTR600	1150L x 1130W x 740H	600L	\$1,032.00
FTR600U	1720L x 890W x 755H	600L	\$1,032.00
FTR800	1400L x 1200W x 740H	800L	\$1,224.00
FTR800U	1750L x 890W x 925H	800L	\$1,224.00
FTR1200	1450L x 1200W x 1000H	1200L	\$1,403.00
FTR2000	1900L x 1450W x 1100H	2000L	\$2,200.00
FTR3000	2100L x 1500W x 1200H	3000L	\$2,860.00

Compact Packages & Pump Kits

FIRE COMPACT PACKAGES



FTRC400-25 >



FTRC600-55 >



^ FTRC200-25



^ FTRC800-55

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
FTRC200-25	1050L x 750W x 600H - C/W 2.5 HP	200L	\$1,573.00
FTRC200-55	1050L x 750W x 600H - C/W 5.5 HP	200L	\$2,202.00
FTRC400-25	1680L x 750W x 600H - C/W 2.5 HP	400L	\$1,733.00
FTRC400-55	1680L x 750W x 600H - C/W 5.5 HP	400L	\$2,295.00
FTRC600-25	1720L x 890W x 755H - C/W 2.5 HP	600L	\$1,880.00
FTRC600-55	1720L x 890W x 755H - C/W 5.5 HP	600L	\$2,513.00
FTRC800-25	1750L x 890W x 925H - C/W 2.5 HP	800L	\$1,990.00
FTRC800-55	1750L x 890W x 925H - C/W 5.5 HP	800L	\$2,613.00



< FTRC400-55

✓ ENABLING FAST RESPONSE

With ute-back convenience, these versatile compact tanks are available bare or combined compact tanks with proven fire-fighting pumps in 2.5 HP or 5.5 HP Honda

SPECIAL FEATURES

- Baffled for vehicle stability
- Provision for strap or pin mounting and skid mounting frames available
- Integrally mounted pump - saves tray space
- Available with sump and elevated mounting feet for positive draining on request
- Adjustable nozzle with 12m of hose as standard
- Fitted with 2.5 HP or 5.5 HP pump

TANK FIRE FIGHTING KIT



^ TFFK

All fittings included as shown. This versatile tank fire fighting kit is both compact and portable. All fittings supplied to hook onto tank.

- Honda 5.5 HP single impeller fire fighting pump
- 36 mtr fire hose reel
- Heavy duty galvanised frame

Pumps on next page >

CODE	DESCRIPTIONS	PRICE (INC. GST)
TFFK	Tank Fire Fighting Kit with 36 mtr hose reel on galvanised stand	\$1,949.00

Skid Mounted Packages & Pumps



FIRE SKID PACKAGES - SKID MOUNTED



FTRS600 >



FTRS800 >



FTRS1200 >



FTRS2000 >



ENABLING FAST RESPONSE

- Heavy duty galvanised skid frame
- Fork On - Off Capability
- Baffled tanks for vehicle stability
- 6.5 HP Honda Twin-Impeller Pump
- 36m hose reel and fire-fighting nozzle included
- Bottom fill manifold with 6m suction hose



Internal Baffle



400mm 1/4 turn Hinged Lid is Standard on 800 - > 2000Ltr tank

CODE	DIMENSIONS	CAP.	PRICE (INC. GST)
FTRS600	600ltr Skid Mounted c/w 6.5 HP -1800 x 1400 x 850	600L	\$4,548.00
FTRS800	800ltr Skid Mounted c/w 6.5 HP -1900 x 1400 x 850	800L	\$4,880.00
FTRS1200	1200ltr Skid Mounted c/w 6.5 HP -1900 x 1400 x 1100	1200L	\$5,487.00
FTRS2000	2000ltr Skid Mounted c/w 6.5 HP -2100 x 1400 x 1200	2000L	\$6,360.00

FIRE FIGHTING PUMPS



▲ MB25L



▲ B55H



▲ B65HT

CODE	DIMENSIONS
MB25L	Onga mini blaze fire fighting pump 130 lpm
B55H	Honda 5.5 HP Single Impeller pump
B65HT	Honda 6.5 HP Twin Impeller fire pump



Bulka Bins



✓ SUITABLE FOR

- Grain, fertiliser, calf pellets etc.
- Bulk hopper for super spreaders.
- Great for feeding out grain to stock.

- o Stackable all poly hopper, will not rust
- o New improved stainless steel chute operation, fully water resistant covered lid, all galvanised frame
- o Forklift frame - lifts on/off easily
- o Ideal for super spreaders

CODE	DIMENSIONS (mm)	CAPACITY	PRICE (INC. GST)
BB12	1,200D x 1,500W x 1,600H	1.2 cub mtrs	\$2,178.00
BB12XL	1,200D x 1,500W x 2,300H	1.2 cub mtrs	\$2,600.00
BB16	1,200D x 1,500W x 1,860H	1.6 cub mtrs	\$2,640.00
BB16XL	1,200D x 1,500W x 2,560H	1.6 cub mtrs	\$2,959.00

XL EXTENDED LEG OPTIONS

- o Raised discharge height
- o Bag hooks
- o Ideal for bag filling

HOLDING CAPACITIES OF BULKA BINS (APPROX.)

PRODUCT	BB12	BB16
Wheat & Meatmeal	960kg	1200kg
Barley	750kg	1000kg
Oats	600kg	800kg
Urea	876kg	1200kg
Lucerne	300kg	400kg
Calf & Pig Pellets	800kg	1050kg



Weather-proof outlet!




XL extended leg options



VISIT
polymaster.com.au
FOR MORE
INFORMATION

◀ SMD7500

SILOMASTER BULK STORAGE



▲ SM10000

▲ SM7500

ULTIMATE VOLUME STORAGE

- Rust free poly construction
- Rodent and weather resistant
- Hinged lid for easy access
- Colour coding available

COLOUR RANGE

1 Natural

2 Black

3 Light Grey

HEAVY DUTY FRAME OPTION

1. Inspection Manways
2. Tie down points
3. Multiple outlet options
4. Optional 2-Way fork channels

▲ SM5000

- Please specify **Powder** or **Liquid** outlet

OUTLET OPTIONS



Custom flange outlet or BSP
Liquid Outlets available



Ultimate flow control with
HDPE slide

CODE	DESCRIPTIONS	PRICE (INC. GST)
SM5000	5000Ltr Silo - Heavy Duty Frame 2420L x 2380W x 3025H	P.O.A
SM7500	7500Ltr Silo - Heavy Duty Frame 3010L x 2380W x 3615H	P.O.A
SM10000	10000Ltr Silo - Heavy Duty Frame 3600L x 2380W x 4205H	P.O.A
SMD5000	5000Ltr Silo - Dry Feed Frame 3600L x 2380W x 3525H	P.O.A
SMD7500	7500Ltr Silo - Dry Feed Frame 3600L x 2380W x 4115H	P.O.A
SMD10000	10000Ltr Silo - Dry Feed Frame 3600L x 2380W x 4705H	P.O.A

Maxi Bins

✓ SOLVING YOUR BULK DISPENSING NEEDS
WITH A CURRENT INDUSTRY FOCUS ON OHS,
ENVIRONMENTAL IMPACT & COST EFFICIENCIES



○ Please specify **Powder** or **Liquid** outlet



▲ MB200

▲ MB150

▲ MB100

▲ MB60

The Maxi Bin range comes in 4 sizes ranging from 0.6m³ to 2.0m³ for all your liquid and dry bulk applications

- Eliminate bagging or bottling in smaller quantities
- Smooth food-grade polyethylene for ease of cleaning
- Weather-proof: "remove the storage burden inside"
- Highly resistant to most chemicals, oils & acids
- Low-maintenance galvanised frame
- Custom outlet options available

OUTLET OPTIONS



Custom Vert Discharge & PVCU Valve



Ultimate flow control with HDPE slide

DIMENSIONS ARE BASED ON OUR STANDARD FRAMES

CODE	DESCRIPTIONS	DIMENSIONS (mm)	PRICE (INC. GST)
MB60	Maxi Bin 0.6m ³	1165L x 1165 W x 1450H	P.O.A
MB100	Maxi Bin 1.0m ³	1165L x 1165 W x 1870H	P.O.A
MB150	Maxi Bin 1.5m ³	1165L x 1165 W x 2235H	P.O.A
MB200	Maxi Bin 2.0m ³	1165L x 1165 W x 2655H	P.O.A

Custom frames also available

B-Ute Boxes & Vehicle Tanks

B' UTE BOXES



BUC14 >
Offset lid mount



▲ BUC14



▲ BUC26



▲ TBC20

TRUCK WATER TANK

- All poly, 60 litre capacity
- 20 mm tap provided at the base of the tank
- 20 mm bung provided at top for easy filling.
- Available in Grey, White and Black
- 600L x 390W x 390H mm



▲ TWT60S

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
TWT60	Truck water tank only	60 ltr	\$135.00
TWT60S	Truck water tank with mounting bracket and strap		\$225.00
HT28	Handi tank only	28 ltr	\$94.00
HT28P	Handi tank with mounting plate		\$143.00



This large tough tool box have a wide variety of uses and fit neatly across the back of most ute trays

▲ BUC14

SPECIAL FEATURES

- Flush zinc mounted hardware
- Raised weather resistant lid seal
- Standard with removable internal tray
- UV resistant polyethylene will not rust or corrode

COLOUR RANGE

- 1 Light Grey
- 2 Red
- 3 Blue
- 4 Black

CODE	DIMENSIONS (mm)	CAP.	PRICE (INC. GST)
BUC26	1,170L x 570W x 400H - (Colour)	266 ltr	\$413.00
BUC14	970L x 400W x 360H - (Colour)	140 ltr	\$325.00
TBC20	Tradesman Box 980L x 390W x 600H	200ltr	\$369.00

HANDI TANK

- All poly, 28 ltr capacity
- Rigid food grade polyethylene
- 20 mm brass tap provided at the base of the tank
- 20 mm bung provided at top for easy filling
- 415L x 240W x 380H mm

IDEAL FOR
WASHING HANDS, DRINKING
AND MANY OTHER USES



▲ HT28P



Food Grade Liners & Produce Bins



PBLS145

FOOD GRADE POLYETHYLENE LINERS



GTBF



PBLS100 with custom frame
Optional Lid

GTB + GTBL

- Fork pockets are wide enough to cater for any rotating head fork on the market
- Optimum height for hand picking
- Range of sizes to suit your needs
- Aluminium Steel frames available

ALL POLY PRODUCE BINS



PPB100
Stacked



PPB100 + PPBL

AN ALL POLYETHYLENE ROTOMOULDED BIN WHICH NEEDS NO SUPPORT FRAME DUE TO ITS UNIQUE RIBBED DESIGN

- Nest them empty - stack them full
- Ideal pallet size for transporting
- Bin stacks when rotated 180°
- FEA analysis testing completed for strength
- All Poly Bin available with encapsulated fork channels



- Forklift access channels



CODE	DESCRIPTIONS	PRICE (INC. GST)
PPB100	All Poly bin 1,000 ltr 1,190 x 1,190 x 1,010H	\$707.00
PPB100FC	All Poly bin 1,000 ltr with fork plates	\$860.00
PPBL	Sealed lid for All Poly bin	\$216.00
PBL85	850ltr liner only 1100L x 1100W x 760H	\$418.00
PBL100	1000ltr liner only 1100L x 1100W x 885H	\$476.00
PBL145	1450ltr liner only 1100L x 1100W x 1285H	\$549.00
PBLS145	1450ltr liner with Steel /Aluminium frame	P.O.A
PBLD	Poly lid for poly liners	\$216.00
GTB	Liner only 2170L x 1200W x 1100H	P.O.A
GTBF	Liner & Galvanised Steel Frame 2350L x 1280W x 1250H	P.O.A
GTBL	Poly lid for GTB liners	P.O.A

* Freight Additional

Tractor Roofs / Poly Shovel Storage Bin / Grain Hopper

TRACTOR ROOFS

ROOF MODEL GUIDE
TR0 - Ride on mowers
TR1 - Tractors up to 45HP
TR2 - Tractors above 45HP



COLOUR RANGE



GRAIN & FERTILIZER SHOVEL

- One-piece moulding
- No rust or splitters, no separate parts
- Tough poly (UV resistant)

GS40 >



COLOUR RANGE



FEED STORAGE BIN

- 200L capacity
- Suitable for all types of feed and fertiliser storage
- Rust free poly construction
- Rodent and weather resistant
- Hinging lid for easy access
- Colours available

FSB200 >



- Designed for ROPS frames, 3 size available
- Light weight, flexible and ribbed for strength
- Gutter across front rim for water run off.

CODE	DESCRIPTIONS	PRICE (INC. GST)
TR0	Tractor roof - small 1,200L x 850W x 120H	\$282.00
TR1	Tractor roof - med. 1,530L x 1,140W x 150H	\$319.00
TR2	Tractor roof - lge. 1,830L x 1,500W x 200H	\$424.00
MTR0-2	Mounting bracket for TR0, 2 post	\$215.00
MTR0-4	Mounting bracket for TR0, 4 post	\$159.00
MTR1-2	Mounting bracket for TR1, 2 post	\$253.00
MTR1-4	Mounting bracket for TR1, 4 post	\$185.00
MTR2-2	Mounting bracket for TR2, 2 post	\$288.00
MTR2-4	Mounting brackets for TR2, 4 post	\$248.00

GRAIN HOPPER



- Wide support base and low profile
- Tough poly (UV resistant)
- Suits any size auger
- Crease resistant - flexes back to shape
- Equipped with strap to hold onto auger



CODE	DIMENSIONS	PRICE (INC. GST)
GS40	1,100H	\$105.00
GAB2	1,100L x 1,200W x 540H	\$260.00
FSB200	520W x 860H x 560D	\$230.00

Animal Care Products



DINKUM DOG HOUSES



▲ TDD1



▲ TDD2



▲ TDD3

COLOUR RANGE

1 Heritage Red	2 Light Grey
3 Mist Green	4 Wheat

• TDD1 / TDD2 ONLY

SPECIAL FEATURES

- All one piece (corrugated) for strength & versatility
- Cooler in summer, warmer in winter
- UV resistant Polyethylene
- Rear venting to create air flow
- Hygienic, easily washed out

CODE	DIMENSIONS	PRICE (INC. GST)
TDD1	1,050L x 780W x 690H - Dinkum Doghouse 1	\$242.00
TDD2	680L x 460W x 640H - Dinkum Doghouse 2	\$185.00
TDD3	1,060L x 860W x 780H - Log Cabin	\$286.00

PREMIUM BUCKET



▲ POB20
- stacked

POLY SCOOPS



▲ PSC

IDEAL FOR 
Piggeries, Grain
Sheds or Hobby
Farmer.

COLOUR RANGE - (EXC. HANDI STEP)

1 Pink	2 Purple	3 Lime Green
4 Trans Green	5 Yellow	

HANDI BUCKET



▲ HB16 - stacked

HANDI STEP - S.W.L 120KG



▲ HSP

CODE	DESCRIPTIONS	CAP.	PRICE (INC. GST)
POB20	Premium Bucket	20 ltr	\$57.00
HB16	Handi Bucket	16 ltr	\$32.00
PSC	Poly Scoop - Holds 2.5kg of pellets		\$22.00
HSP	700L x 600H x 400W		\$181.00



Dieselmaster® BUNDED STATIONS

Leading the way in bulk bunded storage of diesel fuel

- o This Self-Bunded Tank has a 110% bund capacity with a very small footprint
- o Complies with safe handling requirements for diesel storage
- o Recommended by major fuel distributors.



▲ DMD5000Q

 Equipment shown in diagram is not standard on all tanks. Positioning of equipment may vary depending on model of your Dieselmaster® Station.

CODE	DIMENSIONS	PRICE (INC GST)
DMD52300	Ø 2120 x 1600W x 2200H	P.O.A
DMD5000	Ø 2750 x 2200W x 2260H	P.O.A
DMD7000	Ø 3070 x 2500W x 2350H	P.O.A
DMD10000	Ø 3410 x 2830W x 2610H	P.O.A

WE'VE GOT YOU COVERED WITH VOLUME AND DISPENSING OPTIONS TO SUIT ALL APPLICATIONS

- o Lockable dispensing cabinet
- o 240V & 12V pump options
- o User access control options

1. Outer tank vent
2. OCIO: Digital Level Indicator

SIZES AVAILABLE:
2300, 5000, 7000,
10,000 Ltr



- 3-1. Water absorbing, high flow industrial filter
- 3-2. Auto shutoff Nozzle
- 3-3. MC BOX - Multi user monitoring system
- 3-4. Low level fill camlock with cap & ball valve

4. Inner tank vent
5. Liquid seal filler pipe
6. Suction pipe
7. Manufactured from TUV approved polyethylene material
8. Bund sensor probe
9. Earth strap from inner tank
10. Earthing Rod 600mm in ground

AUSTRALIAN STANDARD FOR DIESEL STORAGE

Polymaster's bunded diesel tanks now conform to the criteria conditions for a rating of UL94 V-O which means they are non-combustible. The reviewed AS1940 standard is in final stages of acceptance which would allow specially formulated Polyethylene tanks, up to 10,000 litres, that meet the non-combustible criteria requirements of the standard.

• Information correct at time of printing and subject to change.



DMP400



▲ DMP200

✓ DESIGNED FOR THE EXTREME.

Providing safe operation in the most demanding of refuelling duties from agriculture to heavy industry

✓ INTERNATIONALLY CERTIFIED

The Ute Pack Range has been extensively tested and approved to the UN Specification for the Transport of Dangerous Goods and Worksafe Packaging Group 3 standard

1. Fully enclosed lockable lid
2. Splash proof breather
3. Fuel gauge
4. Steel filling plate and cap for access
5. Heavy Duty Swivel fittings from pump outlet
6. Premium quality 45lpm Italian pump
7. Battery Terminal Clamps
8. 4 metres of hose and leads
9. Certified diesel-grade polyethylene
10. Standard with Auto Nozzle

CODE	DESCRIPTIONS	DIMENSIONS	PUMP FLOW	PRICE (INC. GST)
DMP100	100L Dieselmaster® Ute-Pack with 12V Pump	770L x 540W x 500H	40LPM	\$1,011.00
DMP200	200L Dieselmaster® Ute-Pack with 12V Pump	1050L x 750W x 600H	45LPM	\$1,256.00
DMP400	400L Dieselmaster® Ute-Pack with 12V Pump	1680L x 750W x 600H	45LPM	\$1,545.00
DMP600U	600L Dieselmaster® Ute-Pack with 12V Pump	1720L x 890W x 755H	45LPM	\$1,776.00
DMPD600U	600L Dieselmaster® Ute-Pack with 12/24V Dual Voltage Pump	1720L x 890W x 755H	35/75LPM	\$2,044.00
DMP800U	800L Dieselmaster® Ute-Pack with 12V Pump	1720L x 890W x 925H	45LPM	\$2,035.00
DMPD800U	800L Dieselmaster® Ute-Pack with 12/24V Dual Voltage Pump	1720L x 890W x 925H	35/75LPM	\$2,301.00

* Economy dual voltage option available

Diesel Ute Packs

Dieselmaster® UTE PACK RANGE

DMP100 >



< DMP200



DMP400 >



< DMP600U



DMP800U >



DMP400



TEST CERTIFICATE

These tanks were filled with Glycol and then frozen to -20°C before being extensively drop tested to pass the rigorous UN Specifications.



31H2/Z/
AUS/Polymaster
30659/0/553

Dangerous goods packaging approval road transport reform (dangerous goods) regulations worksafe approval numbers 30659, 30748 and 30943 for 100, 200 & 400 litre models only

DIESELMASTER UTE PACK FRAME

Ideal for mounting to any size ute tray - No extra space required. See details on page 53.



Frame Available

> DMP200
With DM200MF

UTE PACK INCLUDES



Lockable lid feature



Fuel Gauge



ASK FOR YOUR FREE DIESEL BROCHURE TO VIEW WHOLE RANGE! >>>

Bulk Transfer Units



Dieselmaster® BULK TRANSFER UNITS

✓ PROVEN TRANSFER PACKAGES Engineered to service a wide range of heavy plant & machinery



▲ DMPF3000

▲ DMPF1200

▲ DMP600

▲ DMPF2000

▲ DMP800 with optional meter

SPECIAL FEATURES

- Tough and durable one-piece moulding
- Moulded internal baffles for vehicle stability
- Can be strapped or pin mounted to vehicles
- Galvanised forklift skids available
- Certified diesel-grade polyethylene
- Lockable filling port
- Range of 12-24V & petrol/ diesel powered pump options available

CODE	DESCRIPTIONS	DIMENSIONS	PUMP FLOW	PRICE (INC. GST)
DMP600	600L Tank with Standard 12V Pump	1200L x 1050W x 715H	45LPM	\$1,716.00
DMPD600	600L Tank with 12/24V Dual Voltage Pump	1200L x 1050W x 715H	35/75LPM	\$2,034.00
DMP800	800L Tank with Standard 12V Pump	1450L x 1200W x 740H	45LPM	\$1,931.00
DMPD800	800L Tank with 12/24V Dual Voltage Pump	1450L x 1200W x 740H	35/75LPM	\$2,250.00
DMPF800	800L Tank with 12V Fast-flow Pump	1450L x 1200W x 740H	85LPM	\$2,686.00
DMP1200	1200L Tank with Standard 12V Pump	1450L x 1200W x 1000H	45LPM	\$2,316.00
DMPD1200	1200L Tank with 12/24V Dual Voltage Pump	1450L x 1200W x 1000H	35/75LPM	\$2,574.00
DMPF1200	1200L Tank with 12V Fast-flow Pump	1450L x 1200W x 1000H	85LPM	\$2,900.00
DMP2000	2000L Tank with Standard 12V Pump	1900L x 1450W x 1100H	45LPM	\$3,174.00
DMPD2000	2000L Tank with 12/24V Dual Voltage Pump	1900L x 1450W x 1100H	35/75LPM	\$3,500.00
DMPF2000	2000L Tank with 12V Fast-flow Pump	1900L x 1450W x 1100H	85LPM	\$3,758.00
DMP3000	3000L Tank with Standard 12V Pump	2100L x 1500W x 1200H	45LPM	\$3,966.00
DMPD3000	3000L Tank with 12/24V Dual Voltage Pump	2100L x 1500W x 1200H	35/75LPM	\$4,084.00
DMPF3000	3000L Tank with 12V Fast-flow Pump	2100L x 1500W x 1200H	85LPM	\$4,292.00

LARGE CAPACITY AVAILABLE! CALL US TODAY ON 1800 062 064



BASIC KIT



▲ DP40K

- 40LPM 12V/140W/22A
- 2 meter lead
- 4 meter hose
- Manual nozzle

STANDARD KIT



▲ DP45K

- 45LPM 12V/150W/23A
- 4 meter lead and hose
- Auto nozzle & swivel
- Vertical mounted

DUAL VOLTAGE KIT



▲ DP1224K

- 35LPM 12V/152W/42A
- 75LPM 24V/420W/25A
- 4 meter lead and hose
- Auto nozzle & swivel

FAST-FLOW KIT



▲ DP85K

- 85LPM 12V/42A
- 4 meter lead and hose
- Auto nozzle & swivel

10M HOSE REEL



▲ DHR10M25 + ATN90

UTE PACK FRAMES

To suit 100L - 800L ute packs



CODE	DESCRIPTIONS	PRICE (Inc. GST)
DM100MF	100L Ute-Pack Frame	\$209.00
DM200MF	200L Ute-Pack Frame	\$242.00
DM400MF	400L Ute-Pack Frame	\$303.00
DM600MF	600L Ute-Pack Frame	\$423.00
DM800MF	800L Ute-Pack Frame	\$434.00
DMDT	Digital Turbine Meter	\$339.00
DMM4	4 Digit Mechanical Meter	\$196.00
ATN90	Fast-flow Automatic Trigger Nozzle / 90LPM	\$160.00
ATN65	Automatic Trigger Nozzle/ 65LPM	\$113.00
MTN	Manual Trigger Nozzle	\$72.00
DMHP	Rotary Hand Pump	\$139.00
DP40K	Basic 12V Transfer Pump Kit c/w manual nozzle / 40LPM	\$368.00
DP45K	Standard 12V Transfer Pump Kit c/w auto nozzle / 45LPM	\$607.00
DP1224K	Dual Voltage 12/24V Transfer Pump Kit - 35/75LPM	\$820.00
DP85K	Fast-flow Transfer Pump Kit / 85 LPM	\$974.00
RHSC4	4m Replacement Hose & Swivel Connection	\$170.00
DHR10M25	10m Retractable hose reel	\$959.00

AUTO NOZZLE - 65LPM



▲ ATN65

DIGITAL TURBINE METER



▲ DMDT

4 DIGIT MECHANICAL METER




▲ DMM4



THIS SELF-BUNDED TANK HAS A 110% BUND CAPACITY WITH A VERY SMALL FOOTPRINT



Bluemaster® BUNDED STATION DEPOT RANGE



▲ BMDS7000D

Equipment shown in diagram is not standard on all tanks. Positioning of equipment may vary depending on model of your Bluemaster® Station.

OPTIMISED FLEET SOLUTIONS FOR BULK ADBLUE® STORAGE AND DISPENSING TO SCR EQUIPPED VEHICLES

1. Inspection lid
2. JOBE valve set to 95% safe fill level
3. Suction pipe
4. Control Power Box
- High level / low level Bund alarm / Level indicator
5. 240V PIUSI PUMP
6. Automatic Nozzle
7. Lockable Cabinet
8. 5m Hose
9. 2" S/S Dry break coupling

OTHER MODELS AVAILABLE - ASK US TODAY!

CODE	DIMENSIONS	PRICE (INC. GST)
BMDS2300	Ø 2120 x 1600W x 2200H	P.O.A
BMDS5000	Ø 2750 x 2200W x 2260H	P.O.A
BMDS7000	Ø 3070 x 2500W x 2350H	P.O.A
BMDS10000	Ø 3410 x 2830W x 2610H	P.O.A

RESERVOIR TANK



▲ BMRT28P



ADBLUE® 20MM RETRACTABLE HOSE REEL 8M



▲ BMHR8P



ASK FOR YOUR FREE ADBLUE BROCHURE TO VIEW WHOLE RANGE! >>>



VISIT industrial.
polymaster.com.au
FOR MORE
INFORMATION



QUICK



SAFE



CLEAN



▲ BM400B-P12

Blumaster® UTE PACKS

1. Fully enclosed lockable lid
2. Premium quality 35 lpm Diaphragm pump
3. All Polyethylene & S/S wetted parts construction
4. 4 mtrs of hose and leads standard
5. Baffled Tanks for vehicle stability



BM400P-P12 >

- OPTIONAL PRO KIT
Includes meter & Auto nozzle

FAST & CONVENIENT ADBLUE® DISPENSING
STREAMLINING TRANSFER for transport fleets
through to farm machinery.

- Certified for AUS32 AdBlue® contact
- Complete units: Ready-for-use
- Quality 35 lpm Diaphragm Pumps
- All metal parts 316 stainless steel
- Fully lockable pump compartment
- Please specify 12V or 240V
- Please specify BASIC or PRO

CODE	DESCRIPTIONS	PRICE (INC. GST)
BM200B-P12	200L Blumaster® Ute Pack & 12V 1000L x 750W x 605Hmm / 35LPM	P.O.A
BM400B-P12	400L Blumaster® Ute Pack & 12V 1620L x 750W x 665Hmm / 35LPM	P.O.A
BM600UB-P12	600L Blumaster® Ute Pack & 12V 1720L x 890W x 755Hmm / 35LPM	P.O.A
BM800UB-P12	800L Blumaster® Ute Pack & 12V 1720L x 890W x 925Hmm / 35LPM	P.O.A

THE RANGE



▲ BM200B-P12

▲ BM400B-P12

▲ BM600UB-P12

▲ BM800UB-P12

BLUMASTER UTE PACK FRAME

Ideal for mounting to any
size ute tray -No extra
space required.

See details on page 53.

BM200P-P12
WITH FRAME >



THINK SPILL CONTAINMENT

THINK POLYMASTER

BUND-A-RACK



▲ DSBAR

- Sits on most standard pallet racking beams (2 units fit side-by-side on standard width racking)
- Unique, patented design avoids the point loads experienced by other brands
- Suits standard (1165mm x 1165mm) hardwood pallet



BUNDED PALLET



▲ DSP

- Anti tip bars ensure the pallet does not tip even if it is unevenly loaded or forks are not properly inserted
- Accommodates up to 4 x 205L drums
- Underside is designed for standard pallet-racking beams

CODE	DESCRIPTION	DIMENSIONS
DSBAR	Bund-A-Rack	1205W x 1205D x 155H mm
DSP	Bunded Pallet	1280W x 1280D x 335H mm
DSEP4	Econopallet - 4 Drum	1210W x 1210D x 300H mm
DSDD4	Drumdock - 4 Drum	1280W x 1280D x 280H mm
DSDB2	2 Drum Bund	1550W x 755D x 450H mm
DSDP	Drumpak	780D x 1080H mm
DSST2	2 Drum Splash Tray	1560W x 810D x 145H mm
PTC6	Drum Top Cover	600 Diameter



ECONOPALLET - 4 DRUM



▲ DSEP4

- Accommodates up to 4 x 205L drums
- Small footprint for maximum warehouse efficiency
- Lightweight – less mass than a standard hardwood pallet

DRUMDOCK - 4 DRUM



▲ DSDD4

- Ideal for storage of automotive batteries or small drums up to 100 L
- Clip more DRUMDOCKS together to create a larger platform/work area & bund capacity
- Non-hazardous liquids in drums up to 205L may also be stored

2 DRUM BUND



▲ DSDB2

- Will contain the entire contents of one 205L drum even when occupied by two 205L drums
- Popular for storage of waste liquid drums
- Perfect for onsite use when taking chemicals to machinery

DRUMPAK



▲ DSDP

- Easily accommodates 1 vertical 205L drum
- Screw down lid with foam gasket
- Stackable design

2 DRUM SPLASH TRAY



▲ DSST2

- Economical work tray to contain occasional drips and splashes
- Tough 100% Polyethylene construction really stands up to rough usage

DRUM TOP COVER



▲ PTC6

- Suits 205L drum, 600mm Diameter
- Keeps water and contaminants out of oil drums
- Unique 'locking' pins ensure cover remains in place

Innovative Products
Designed For Life



T 03 5033 9000 F 03 5033 0224 E sales@polymaster.com.au W polymaster.com.au

DATE		CUSTOMER NAME	
DISTRIBUTOR		DELIVER TO	
CONTACT NAME		PHONE	
PHONE		EMAIL	
FAX		ORDER NO.	

NO	PRODUCT CODE	DESCRIPTION	COLOUR	QTY	UNIT PRICE(EX.GST)
1					
2					
3					
4					
5					
6					
7					
8					
FREIGHT					

ADDITIONAL OPTIONS	SIZE REQUIRED	QTY	UNIT PRICE	AMOUNT
UPGRADE OUTLET? YES ☐ NO ☐				
ADDITIONAL OUTLET? YES ☐ NO ☐				
MANHOLE COVER INSTEAD OF STRAINER? ☐ MANHOLE COVER IN ADDITION TO STRAINER? ☐				
ACCESSORIES REQUIRED? YES ☐ NO ☐ SEE PG.16-17				

FILL IN ADDITIONAL DETAILS BELOW FOR TANK ORDERS ONLY - SELECT FITTING POSITIONS

RWT50KL OUTLET: OVERFLOW:	RWT13600 OUTLET: OVERFLOW:	RWT9000 RWT22500 RWT31700 OUTLET: OVERFLOW:	PCR OUTLET: OVERFLOW:
SLST600-5000 OUTLET: FRONT OVERFLOW:		SLT2100 OUTLET: COVER OVERFLOW:	

* MINIMUM ORDER \$300 OR \$30 SURCHARGE
* Tank specs available at polymaster.com.au

Give this completed form to your distributor to place your order



OUR COMMITMENT

DELIVERY & INSTALLATION

POLYMASTER'S LARGE TANKS can be delivered direct to property where there is a properly made road and large turning area available. It is the owner's responsibility to provide clear access to site, and to secure tank/s left at site. If the driver cannot reach the location, the tank/s will be left at the closest practical position at the driver's discretion.



FREE DELIVERY TO SITE:

13,600ltr / 22,500ltr / 31,700ltr & 50,000ltr
(remote areas excl.)

FREE TO STORE:

all other tanks (most areas)

INSTALLATION GUIDE

Entry to tank is not required when installing a Polymaster tank!

- o The tank site must be firm, level and flat, a concrete type base well compacted and free from any rocks, stones and sharp objects is advised.
- o A concrete pad is recommended.
- o If not a concrete pad, a compacted sand base or other consolidated fill such as crushed dust is recommended. The base must be 75mm - 100mm deep and at least 600mm larger in diameter than the tank base. The outside of the base must be supported by a retaining wall to prevent erosion.
- o The overflow must be piped well clear of the tank to avoid any undermining of the tank base.
- o Ensure that a flexible hose of at least 300 mm (12") is installed after the tank valve to absorb any shocks or movement.

- o If tank is placed on a stand, support pipework off the stand, never support pipework off the tank.

DELIVERY REQUIREMENTS

Clearance required for truck and trailer is 19 metres long, 5 metres high, 3.5 metres wide.

- o In accordance with OH&S requirements, the customer must be present at the time of delivery. If this is not possible, arrangement must be made with the distributor, friends or neighbours to ensure truck driver will have the necessary assistance as listed below.
- o A minimum of three able bodied persons to help the driver place tanks 13,600 ltr and larger. This is to be arranged by the customer receiving the tank/s.
- o Underground tanks will require a lifting device (forklift etc) to unload. This is not supplied by the driver.

TANK INSTALLATION

1. Inlet strainer.
2. Pipe overflow away from tank base.
3. Brass Outlet and Ball Valve.
4. Use 300 mm flexible hose from outlet.
5. Tank base to be concrete pad or sand.

- o A full installation guide will be provided upon delivery of tank.

Note: Failure to properly install tank as per instructions will void warranty. Never enter a tank alone. Have an attendant stand by. Restricted Space - only enter after carrying out a Hazard Identification Risk Assessment (H.I.R.A.).





CERTIFICATION OF QUALITY

Polymaster is fully certified to the international standard for quality management, ISO9001. We also hold product certification for all rainwater tanks to the Australian Standard AS/NZS 4766: 2006

SPECIFICATIONS

Due to the variable shrinkage rate of polyethylene, the product dimensions and capacities listed in this catalogue are approximate. Naturally occurring pigment variations in raw materials may also cause some variability in colour shades. While we attempt to come as close to the advertised shades as possible, we are unable to guarantee exact tank colour matches. Due to ongoing improvement and innovation, product details, design and specifications are subject to change without notice.

EASY RETURNS

If you are not completely satisfied with your Polymaster purchase, simply return the product for credit within 14 days of receipt. All returns are subject to a 15% restocking fee and freight charges.

FREIGHT DETAILS

Polymaster offers free delivery to site in Victoria and parts of South Australia and New South Wales for: 13,600ltr -50,000ltr tanks (remote areas excluded). For all other tanks, delivery is free to store.

PolyChoice tanks are delivered free to selected areas. A delivery charge will be incurred for all other areas. Please contact us for delivery eligibility.

COPYRIGHT

This publication and all information is the property of Polymaster Pty Ltd. No content contained in this publication is to be duplicated or copied in any way or manner.



SCAN QR TO BROWSE OR
VISIT POLYMASTER.COM.AU

* E & OE

PRODUCT SUITABILITY

The product recommendations used in this catalogue are intended only as a guide. While we make every effort to accurately represent the suitability of our products for a variety of uses, your situation may be unique and require additional investigation. Measurements listed in this catalogue are approximates only.

SUSTAINABILITY

At Polymaster, special re-circulated heat processes are used to minimize greenhouse gases, excess materials are fully recycled, and water re-use programs help lessen our impact on Australia's precious natural resources.

CONTACT US

To share your comments about our products and service – or find your nearest Polymaster distributor.

HEAD OFFICE Locked Bag 4001
161 Karinie St, Swan Hill VIC 3585

CALL 1800 062 064

FAX 03 5033 0224

EMAIL sales@polymaster.com.au

WEB www.polymaster.com.au

 **CONNECT**

www.facebook.com/polymastergroupaust

OTHER LOCATIONS

- Melbourne
- Adelaide
- Regional VIC
- Regional NSW

YOUR LOCAL DISTRIBUTOR

**Order now from your reputable
local distributor**