



Underground Tanks

- Septic Tanks
- Underground Water Tanks & Vortex Filters
- Retention & Detention Tanks

“ Not all suppliers are the same and I want to compliment your company on the level of service we have received. From the price supplied...and follow up phone call from customer service, your offer of help and warranty advice was welcomed. I just want to commend you on your great customer service. Thank you.

- Sarah, Strathfieldsaye

” 03

Septic Tanks


THESE ALL NEW, ULTRA-STRONG, LOW PROFILE SEPTIC TANKS HAVE PASSED THE STRINGENT TEST OF AS/NZS 1546.1 CERTIFICATION WITH FLYING COLOURS.



HOOK UP IN ONLY 10 MINUTES!

Our new fully pre-assembled sewerage system comes complete with baffle and fittings. It's lightweight so you won't need a crane to put into place, lifting lugs are included so it's easy to handle and with only a 10 minute hook up time, it will greatly reduce down time.


- Fittings and baffle are pre-installed
- Australian manufactured – offering you maximum support and service
- Self-anchoring – does not require concrete
- Low profile design – minimal excavation depth
- Tested and certified to AS/NZS 1546.1:2008 – assurance of maximum performance
- Design life of 15 years



Inlet and outlet fittings come pre-assembled for a 10 minute hook-up



500mm extension available (URRM)



Heavy duty lid tested to 500kg loading




BSI Certified Product
AS/NZS 1546.1:2008
BMP 650823
Australian/New Zealand Standards

2 SIZES AVAILABLE

CODE	CAPACITY	DIMENSIONS (mm)	NO. OF PERSONS*
ST3100	3,100 Ltr	2450L x 1640W x 1665H	1-5 people
ST4550	4,550 Ltr	3520L x 1640W x 1665H	6-10 people
URRM	Optional riser extension 555W x 510H		


* Number of persons is approximate, please check with your local council.




→ Approved by relevant state authorities for use in VIC, SA & NSW

Underground Rainwater Tanks

& Vortex Filters



- 1 Vortex filter
- 2 Tank lid riser (cut to height)
- 3 3300ltr or 5000ltr underground tank
- 4 Internal pipe work supplied
- 5 Submersible pump with 10 mtr cable

 Please Note : Pipe friction must be taken into account when installing pipework to guarantee required water volumes.

HOUSEHOLD SYSTEM

The underground tank houses a 80 lpm submersible pump delivering high volume and pressure suitable for most homes, including single-storey & multi-storey dwellings. This comes with superior Vortex Filter.

GARDEN PUMP SYSTEM

When coupled to an underground tank system, the Vortex Filter is a superior low maintenance filter option.



AS/NZS
1546.1:2008
BMP 650823
Australian/New
Zealand Standards

BSI Certified Product

DESIGN LIFE OF
15 YEARS



APPROVED AND TESTED

- Fully tested polyethylene tank designed to withstand ground and water pressure at depth
- Engineered by geotechnical experts including finite element analysis (FEA)
- Certified to AS/NZS 4766 Rainwater tank standard
- Certified to AS/NZS 1546 Septic tank standard
- Sealed locking tamper-proof lid

* Diagram for illustration purposes only.

Vortex Filter

- Self cleaning filter removes sediment and debris, providing you with clean water for storage.
- Withstands up to 30 tonne vehicles

WALL MOUNTED VORTEX FILTER AVAILABLE



UNDERGROUND RAINWATER TANKS & ACCESSORIES

CODE	DESCRIPTION
URT3300B	3300 ltr Tank only including lid
URT3300VF	3300 ltr Tank and Vortex filter
URT3300VF/PC	3300 ltr household system complete with vortex filter & pump kit
URT5000B	5000 ltr Tank only including lid
URT5000VF	5000 ltr Tank and Vortex filter
URT5000VF/PC	5000 ltr household system complete with vortex filter & pump kit
PC1100	Pressure system for submersible pump
URRM	Riser mould for underground tanks
HHR3705-PC	Submersible pump

UNDERGROUND TANK DIMENSIONS

