



CELEBRATING  
**30**  
YEARS

# FIRE-FIGHTING / WATER CARTAGE



# Water Cartage Tanks



## Ute Packs

CODE	CAPACITY (Litres)	DIMENSIONS (L x W x H)	OUTLET
FTR200	200	1050 x 750 x 600	25mm
FTR400	400	1680 x 750 x 600	25mm
FTR600U	600	1720 x 890 x 755	25mm
FTR800U	800	1720 x 890 x 925	25mm



## Water Cartage Tanks

CODE	CAPACITY (Litres)	DIMENSIONS (L x W x H)	OUTLET
FTR600-S	600	1200 x 1120 x 710	40mm
FTR800-S	800	1500 x 1190 x 710	40mm
FTR1200-S	1200	1500 x 1190 x 975	40mm
FTR2000-S	2000	2280 x 1280 x 1040	40mm
FTR3000-S	3000	2280 x 1540 x 1270	40mm



### KEY FEATURES

#### UTE PACK

- Moulded internal baffles for vehicle stability
- Brass outlet
- Tough and durable one-piece moulding
- 140mm vented lid
- High strength, lightweight polyethylene construction
- Provision for strap
- Wear pads to allow airflow underneath and protect ute tray

#### WATER CARTAGE

- Brass outlet
- Forklift galvanised skids available
- Tough and durable one-piece moulding
- 400mm 1/4 turn hinged lid
- Sits directly on any flat surface
- High strength, lightweight polyethylene construction
- Provision for strap or pin mounting



Brass Threaded Outlet



Quarter Turn Hinged Lid (Water Cartage)



140mm Vented Lid (Ute Pack)

# Compact Packages



CODE	CAPACITY (Litre)	POWER (HP)	DIMENSIONS (TANK) (L x W x H)	PUMP CODE	ENGINE/PUMP	STARTER
<b>FTRC200-25</b>	200	2.5	1050 X 750 X 600	<b>MB25L</b>	Loncin/Onga	Pull Petrol
<b>FTRC200-55</b>	200	5.5	1050 X 750 X 970	<b>B55H</b>	Honda/Onga	Pull Petrol
<b>FTRC400-25</b>	400	2.5	1680 X 750 X 600	<b>MB25L</b>	Loncin/Onga	Pull Petrol
<b>FTRC400-55</b>	400	5.5	1680 X 750 X 970	<b>B55H</b>	Honda/Onga	Pull Petrol
<b>FTRC400-55-HR*</b>	400	5.5	1680 X 750 X 1070	<b>B55H</b>	Honda/Onga	Pull Petrol
<b>FTRC600-55</b>	600	5.5	1720 X 890 X 1050	<b>B55H</b>	Honda/Onga	Pull Petrol
<b>FTRC600-55-HR*</b>	600	5.5	1720 X 890 X 1150	<b>B55H</b>	Honda/Onga	Pull Petrol
<b>FTRC800-55</b>	800	5.5	1720 X 890 X 1260	<b>B55H</b>	Honda/Onga	Pull Petrol
<b>FTRC800-55-HR*</b>	800	5.5	1720 x 890 x 1360	<b>B55H</b>	Honda/Onga	Pull Petrol

\*HR - Includes 36m Hose Reel

## KEY FEATURES

- Tough and durable one-piece moulding
  - Sits directly on any flat surface
  - High strength, lightweight polyethylene construction
  - 12m hose with fire fighting nozzle
  - Optional Bottom Fill Kit (**BFK**) available.
  - Wear pads to allow airflow underneath and protect ute tray
  - 36m Hose Reel & Fire-Fighting Nozzle with all -HR models
  - Provision for strap
- \*Refer to Water Cartage & Fire Fighting Pumps page 38 for full pump details



Pump



Hose Reel



Nozzle



# Skid Mounted Packages



CODE	CAPACITY (Litres)	STARTER	DIMENSIONS (L x W x H)	PUMP CODE
FTRS600-S	600	Pull-Petrol	1685 x 1160 x 810	B65HT
FTRS600ES-S	600	Electric-Petrol	1685 x 1160 x 810	B65HTES
FTRS800-S	800	Pull-Petrol	1720 x 1500 x 810	B65HT
FTRS800ES-S	800	Electric-Petrol	1720 x 1500 x 810	B65HTES
FTRS1200-S	1,200	Pull-Petrol	1720 x 1500 x 1075	B65HT
FTRS1200ES-S	1,200	Electric-Petrol	1720 x 1500 x 1075	B65HTES
FTRS2000-S	2,000	Pull-Petrol	2850 x 1480 x 1145	B65HT
FTRS2000ES-S	2,000	Electric-Petrol	2850 x 1480 x 1145	B65HTES
FTRS3000-S	3,000	Pull-Petrol	2850 x 1540 x 1370	B65HT
FTRS3000ES-S	3,000	Electric-Petrol	2850 x 1540 x 1370	B65HTES

## KEY FEATURES

- 6.5HP Honda powered twin-impeller onga (pentair) pump
  - 36m hose reel and fire fighting nozzle included
  - Heavy duty galvanised skid frame
  - Fork on - fork off capability
  - Bottom fill manifold with 6m suction hose
  - Optional dust suppression nozzle kit available (**DSN20K**)
- \*Refer to Pump page 38 for full pump details

## Skids Only

CODE	COMPATIBILITY	DIMENSIONS L x W x H
SKID600-S	600Ltr FTR Tanks	1685 x 1180 x 100
SKID800-1200-S	800 - 1200Ltr FTR Tanks	1720 x 1380 x 100
SKID2000-3000-S	2000 - 3000 Ltr FTR Tanks	2850 x 1480 x 100



# Trailer Packages



CODE	CAPACITY (Litres)	PUMP*	STARTER	ENGINE/ PUMP	TANK DIMENSIONS (L x W x H)	TRAILER DIMENSIONS (L x W x H)
<b>FTRT1200-S</b>	1200	<b>B65HT</b>	Pull - Petrol	Honda/Onga	1500 x 1190 x 975	3940 x 1770 x 1500
<b>FTRT1200TES-S</b>	1200	<b>B65HTES</b>	Electric - Petrol	Honda/Onga	1500 x 1190 x 975	3940 x 1770 x 1500
<b>FTRT1200TESD-S</b>	1200	<b>FFDPTES</b>	Electric - Diesel	Yanmar/Onga	1500 x 1190 x 975	3940 x 1770 x 1500
<b>FTRT2000-S</b>	2000	<b>B65HT</b>	Pull - Petrol	Honda/Onga	2280 x 1280 x 1040	4460 x 1970 x 1650
<b>FTRT2000ES-S</b>	2000	<b>B65HTES</b>	Electric - Petrol	Honda/Onga	2280 x 1280 x 1040	4460 x 1970 x 1650
<b>FTRT2000ESD-S</b>	2000	<b>FFDPTES</b>	Electric - Diesel	Yanmar/Onga	2280 x 1280 x 1040	4460 x 1970 x 1650

## KEY FEATURES - TRAILER

- Hot dip galvanised dual axle trailer
- 14" wheels - 5 stud pattern
- Electric brakes - 2000ltr
- Hydraulic brakes - 1200ltr
- Road pack including brakes and LED lights
- Emergency breakaway protection - 2000ltr
- Compliance plate - road registrable

## KEY FEATURES - TANK AND PUMP

- 6.5HP Honda powered twin impeller pump
- 400mm 1/4 turn hinged lid
- Trailer mounted toolbox to protect the hose
- Suction return manifold with 6m suction hose
- 36m Hose reel & fire fighting nozzle
- Optional dust suppression nozzle kit available (**DSN20K**)
- \*Refer to Water Cartage & Fire Fighting Pumps page for full pump details



# Pumps & Accessories

CODE	DESCRIPTION	ENGINE/ PUMP	STARTER	POWER (HP)	HEAD (m)	FLOW (LPM)	INLET	OUTLET	# OF OUTLETS	WARRANTY (yrs)
<b>MB25L</b>	Mini Blaze 2.5HP	Loncin/ Onga	Pull - Petrol	2.5	21	133	25mm BSPM	25mm BSPM	1	1
<b>B55H</b>	Honda 5.5HP Single Impeller	Honda/ Onga	Pull - Petrol	5.5	60	585	32mm BSPM	25mm, 25mm, 40mm BSPM	3	2
<b>B65HT</b>	Honda 6.5HP Twin Impeller	Honda/ Onga	Pull - Petrol	6.5	100	373	50mm BSPM	25mm, 25mm, 40mm BSPM	3	2
<b>B65HTES</b>	Honda 6.5HP Twin Impeller Electric Start	Honda/ Onga	Electric - Petrol	6.5	100	373	50mm BSPM	25mm, 25mm, 40mm BSPM	3	2
<b>FFDPTES</b>	Yanmar 7HP Diesel Electric Start	Yanmar/ Onga	Electric - Diesel	7	100	450	50mm BSPM	25mm, 25mm, 40mm BSPM	3	2



**MB25L**



**B55H**



**FFDPTES**


## Fire Fighting Accessories

CODE	DESCRIPTION	DIMENSIONS (L x W x H)
<b>BFK</b>	Bottom Fill Kit - Suits FTFC 5.5HP Compact Fire Units	
<b>FFHR1</b>	Hose Reel Only 20mm x 36mtr	555 DIA x 165W
<b>TFFK</b>	Tank Fire Fighting Kit with 36mtr Hose reel on galvanised stand	900 x 600 x 700
<b>FHR</b>	Manual Hose Reel 20mm x 36mtr	427 x 391 x 380
<b>DSN20K</b>	Dust Suppression Nozzle	
<b>FHRC36</b>	Fire Hose Reel Cover - suits 36m hose	600 x 205 x 580
<b>FHRC50</b>	Fire Hose Reel Cover - suits 50m hose	575 x 270 x 600



**FFHR1**

\* Does not include hose



**FHR**



**TFFK**



**FHRC50**

\* Includes hose



Together we  
hold the future.

→ 1800 062 064  
→ [polymaster.com.au](http://polymaster.com.au)

Follow us: Polymaster Group

